

OMNI MOUNT®

PRODUCT GUIDE

TV Mounts & Accessories

GETTING FAMILIAR WITH TV MOUNTS

OmniMount offers a variety of TV mounts to meet every need, from the most innovative and feature rich, to the fastest and easiest installation. Start by identifying the product line that best suits your need, then match the desired mount type to your TV size. It really is that easy to find your perfect solution.

INTERACTIVE

Take interactivity with your TV to the next level – experience full motion functionality with an added dimension – light-touch height adjustment.

FULL MOTION

The most flexible mounts, allowing you to pull your TV away from the wall and tilt, pan or swivel so it's viewable from multiple locations.

TILT

Perfect for high TV placement or when you need to tilt your TV to avoid screen glare.

FIXED

The simplest way to mount your TV to the wall when you have a dedicated viewing area.

We strive to make every out-of-box experience simple and intuitive, using just a few tools.

EZ 1-2-3 Easy Install

Attach rails to TV | Install mount on wall | Hang TV on mount

OMNI**ELITE** SERIES

A premium line for highly stylized thin, large format HDTVs and Ultra HDTVs

	MODEL	FITS	SUPPORTS	FUNCTION	VESA COMPLIANCE	PROFILE
MEDIUM	OE80FM	32–52" TVs	80 lbs (36,3 kg)	Tilts up to +10° Pans & swivels	Universal & VESA 200x100 to 600x400	2.5–19.5" (6,4–49,5 cm)
LARGE	OE120IW	42–80" TVs	120 lbs (54,4 kg)	Tilts +10° to -1° Pans & swivels	VESA 100x100 to 600x400	0.5" (1,3 cm)
LARGE	OE150FM	47–80" TVs	150 lbs (68 kg)	Tilts up to +10° Pans & swivels	Universal & VESA 200x100 to 800x400	2.8" (7,1 cm)
MEDIUM	OE80T	27–47" TVs	80 lbs (36,3 kg)	Tilts up to +10°	Universal & VESA 200x200 to 400x400	1.5" (3,8 cm)
LARGE	OE150T	47–80" TVs	150 lbs (68 kg)	Tilts up to +10°	Universal & VESA 200x200 to 600x400	1.5" (3,7 cm)



MEDIUM	OE80F	37–52" TVs	80 lbs (36,3 kg)		Universal & VESA 200x200 to 400x400	0.7" (1,8 cm)
EXTRA LARGE	OE200F	52–90" TVs	200 lbs (90,7 kg)		Universal & VESA 400x400 to 600x400	0.7" (1,8 cm)

ACTIONMOUNT SERIES

The first non-motorized height-adjustable TV mounts: sit, stand, stretch and play

	MODEL	FITS	SUPPORTS	FUNCTION	VESA COMPLIANCE	PROFILE
SMALL	PLAY2O	19–32" TVs	7–20 lbs (3,2–9,1 kg)	Tilts +5° to -70° Pans & levels	VESA 75x75 to 200x200	3.9–16.6" (10–42 cm)
SMALL	PLAY2OX	19–32" TVs	7–20 lbs (3,2–9,1 kg)	Tilts +5° to -70° Pans & levels	VESA 75x75 to 200x200	3.9–25.6" (10–65 cm)
SMALL	PLAY25	19–37" TVs	7–25 lbs (3,2–11,4 kg)	Tilts +5° to -70° Pans & levels	VESA 75x75 to 200x200	4.4–21.4" (11,2–54 cm)
SMALL	PLAY25X	19–37" TVs	7–25 lbs (3,2–11,4 kg)	Tilts +5° to -70° Pans & levels	VESA 75x75 & 200x200	4.4–33.5" (11,2–85 cm)
SMALL	LIFT3O	27–42" TVs	12–30 lbs (5,4–13,6 kg)	Height adjusts 10" (25.4 cm)	VESA 100x100 to 400x400	2.7" (6,9 cm)
SMALL	LIFT3OX	27–42" TVs	12–30 lbs (5,4–13,6 kg)	Tilts up to +10° Pans & levels	VESA 100x100 to 400x400	4.3–10.8" (10,9–27,3 cm)
MEDIUM	PLAY4O	30–55" TVs	18–40 lbs (8,2–18,2 kg)	Tilts +15° to -10° Pans & levels	VESA 200x100 to 600x400	5.5" (14 cm)
MEDIUM	PLAY4ODS	30–55" TVs	18–40 lbs (8,2–18,2 kg)	Tilts +10° to -15° Pans & levels	VESA 200x100 to 600x400	5.5–24" (14–61 cm)
MEDIUM	LIFT5O	40–50" TVs	30–50 lbs (13,6–22,7 kg)	Tilts up to +10° Height adjusts 16" (40,6 cm)	VESA 200x200 to 400x400	2.7" (6,9 cm)
LARGE	PLAY7O	30–60+" TVs	35–70 lbs (15,9–31,8 kg)	Tilts +15° to -10° Pans & levels	VESA 200x100 to 600x400	6.5" (16,6 cm)
LARGE	PLAY7ODS	40–60" TVs	35–70 lbs (15,9–31,8 kg)	Tilts +15° to -10° Pans & levels	VESA 200x100 to 600x400	6.5–28" (16,5–71 cm)
LARGE	LIFT7O	46–65" TVs	45–70 lbs (20,4–31,8 kg)	Tilts up to +10° Height adjusts 16" (40,6 cm)	VESA 200x200 to 400x400	2.7" (6,9 cm)

OMNI**SELECT** SERIES

High quality craftsmanship and dependability

	MODEL	FITS	SUPPORTS	FUNCTION	VESA COMPLIANCE	PROFILE
SMALL	OS5OFM	13–37" TVs	50 lbs (22,7 kg)	Tilts +10° to -1° Pans & swivels	VESA 75x75 to 200x200	2.3" (5,7 cm)
MEDIUM	OS8OFM	37–63" TVs	80 lbs (36,3 kg)	Tilts +10° to -3° Pans & swivels	VESA 100x100 to 400x400	2.8" (7 cm)
LARGE	OS12OFM	42–70" TVs	120 lbs (54,4 kg)	Tilts +10° to -3° Pans & swivels	VESA 100x100 to 600x400	3.0" (7,6 cm)
SMALL	OS4OTP	13–37" TVs	40 lbs (18,1 kg)	Tilts +10° to -3° Pans 25°	VESA 75x75 to 200x200	3.0" (7,6 cm)
SMALL	OS5OT	13–37" TVs	50 lbs (22,7 kg)	Tilts up to +18°	VESA 75x75 to 200x200	2.1" (5,2 cm)
MEDIUM	OS8OT	37–55" TVs	80 lbs (36,3 kg)	Tilts up to +10°	VESA 100x100 to 400x400	2.1" (5,4 cm)
LARGE	OS12OT	37–70" TVs	120 lbs (54,4 kg)	Tilts up to +10°	VESA 100x100 to 600x400	2.1" (5,4 cm)
SMALL	OS5OF	13–37" TVs	50 lbs (22,7 kg)		VESA 75x75 to 200x200	1.1" (2,8 cm)
MEDIUM	OS8OF	37–55" TVs	80 lbs (36,3 kg)		VESA 100x100 to 400x400	1.7" (4,2 cm)
LARGE	OS12OF	37–70" TVs	120 lbs (54,4 kg)		VESA 100x100 to 600x400	1.6" (4,1 cm)

OMNI**CLASSIC** SERIES

Reliable and simple to install, the OmniClassic mounts are hassle-free solutions

	MODEL	FITS	SUPPORTS	FUNCTION	VESA COMPLIANCE	PROFILE
SMALL	OC40FM	13-37" TVs	40 lbs (18,1 kg)	Tilts +15° to -5° Pans & swivels	VESA 75x75 to 200x200	3.2-9.5" (8,2-24 cm)
SMALL	OC40FMX	13-37" TVs	40 lbs (18,1 kg)	Tilts +15° to -5° Pans & swivels	VESA 75x75 to 200x200	3.0-13.7" (7,6-35 cm)
MEDIUM	OC80FM	37-63" TVs	80 lbs (36,3 kg)	Tilts +15° to -5° Pans & swivels	VESA 200x200 to 600x400	3.2-14" (8,2-35,7 cm)
LARGE	OC120FM	43-70" TVs	120 lbs (54,4 kg)	Tilts +15° to -1° Pans & swivels	VESA 200x200 to 600x400	3.8-19" (9,8-48,3 cm)
MEDIUM	OC80T.2	37-55" TVs	80 lbs (36 kg)	Tilts +15° to -5°	VESA 200x200 to 400x400	2" (5 cm)
MEDIUM	OC100T	23-42" TVs	100 lbs (45,4 kg)	Tilts 0°/ +5°/ +10°	Universal & VESA 100x100 to 400x300	1.7" (4,3 cm)
LARGE	OC120T	37-70" TVs	120 lbs (54,4 kg)	Tilts +15° to -1°	VESA 200x200 to 600x400	2" (5 cm)
SMALL	OC40F	13-37" TVs	40 lbs (18,1 kg)		VESA 75x75 to 200x200	0.5" (1,3 cm)
MEDIUM	OC80F.2	37-55" TVs	80 lbs (36 kg)		VESA 200x200 to 400x4200	0.5" (1,3 cm)
MEDIUM	OC100F	23-42" TVs	100 lbs (45,4 kg)		Universal & VESA 100x100 to 400x300	1.3" (3,3 cm)
LARGE	OC120F	37-70" TVs	120 lbs (54 kg)		VESA 200x200 to 600x4200	0.6" (1,4 cm)

EZMOUNT SERIES

A revolutionary mounting system, EZMounts are the easiest, strongest, most discreet way to hang a TV

	MODEL	FITS	SUPPORTS	FUNCTION	VESA COMPLIANCE	PROFILE
SMALL	OMEZF	13-46" TVs	80 lbs* (36,3 kg)		VESA 100x100 to 400x400	0.9" (2,2 cm)
	*Supports 40 lbs (18,1 kg) in drywall and 80 lbs (36,3 kg) in a single stud or solid wall					
MEDIUM	OMH	32-60" TVs	80 lbs (36,3 kg)		Universal & VESA 200-600 mm wide	1.3" (3,3 cm)

HANG IN JUST 3 EASY STEPS

1 Attach



2 Mount



3 Hang



OMNI**PRO** SERIES

*Limited distribution

High quality solutions designed with the installer in mind

	MODEL	FITS	SUPPORTS	FUNCTION	VESA COMPLIANCE	PROFILE
SMALL	CI60FM	37–55" TVs	60 lbs (27,2 kg)	Tilts up to +15° Pans & swivels	Universal & VESA 100x100 to 400x400	2.6–14.3" (6,7–36,2 cm)
MEDIUM	CI100FM	37–60" TVs	100 lbs (45,3 kg)	Tilts up to +15° Pans & swivels	Universal & VESA 100x100 to 400x400	3–18.3" (7,6–46,6 cm)
LARGE	CI125FM	37–80" TVs	125 lbs (56,7 kg)	Tilts +15° to -1° Pans & swivels	VESA 200x200 to 600x400	3.8–19" (9,7–48,3 cm)
MEDIUM	CI80T	37–55" TVs	80 lbs (36,3 kg)	Tilts up to +10°	Universal & VESA 200x200 to 400x400	1.6" (4 cm)
LARGE	CI120T	37–75" TVs	120 lbs (54,4 kg)	Tilts up to +10°	Universal & VESA 200x200 to 600x400	1.6" (4 cm)
EXTRA LARGE	CI175T	37–90" TVs	175 lbs (79,4 kg)	Tilts up to +15°	Universal & VESA 100x100 to 600x400	2.7" (6,9 cm)
MEDIUM	CI80F	37–55" TVs	80 lbs (36,3 kg)		Universal & VESA 100x100 to 400x400	1" (2,5 cm)
LARGE	CI120F	37–75" TVs	120 lbs (54,4 kg)		Universal & VESA 200x200 to 600x400	1" (2,5 cm)
EXTRA LARGE	CI175F	37–90" TVs	175 lbs (79,4 kg)		Universal & VESA 100x100 to 600x400	1.7" (4,4 cm)

CEILING MOUNTS

	MODEL	FITS	SUPPORTS	FUNCTION	VESA COMPLIANCE
MEDIUM	DCM250	32–65" TVs	250 lbs (113,4 kg)	Up to 25° in 5° increments	VESA 200x100 to 600x400
MEDIUM	SCM125	32–65" TVs	125 lbs (56,7 kg)	Up to 25° in 5° increments	VESA 200x100 to 600x400

OWS22

OWS60

MOD1

AV WALL SHELVES

OWS22

Shelf supports up to 22 lbs (9,9 kg)

Stackable with additional OWS22s to create a multiple shelf solution

Can be used with or without a TV

OWS60

Shelf supports up to 60 lbs (27,2 kg) double-stud and 25 lbs (11,3 kg) single-stud

Stackable with additional OWS60s to create a multiple shelf solution

Integrated cable management hides wires

Can be used with or without a TV

BLADE 2

BLADE 1

BLADE SERIES

Each shelf supports up to 35 lbs (15,9 kg)

Integrated cable management hides wires

Low mounting profile is the perfect complement to ultrathin TVs

Use with or without TV

BLADE 2

Two cascading tempered black glass shelves

BLADE 1

One tempered black glass shelf

MOD1

Shelf supports up to 30 lbs (13,6 kg)

Stackable with additional MOD1s to create a multiple shelf solution

Integrated cable management hides wires

Can be used with or without a TV

ECS

Shelf supports up to 30 lbs (13,6 kg)

Pivoting arm for side-to-side movement

Integrated cable management hides wires

Wall plate hides bolts

TRIA

TRIA SERIES

Each shelf supports up to 30 lbs (13,6 kg)

Integrated cable management hides wires

Paintable and trimmable covers

Use with or without TV

Fully adjustable shelves in 1" increments

TRIA 2

TRIA

Three adjustable tempered glass shelves

TRIA 2

Two adjustable tempered glass shelves

TRIA 1

TRIA 1

One adjustable tempered glass shelf

SPEAKER STANDS AND MOUNTS

GEMINI 1

Fits most medium satellite speakers up to 8 lbs (3,6 kg)

Includes two speaker stands

Available in Black

GEMINI 2

Fits most large bookshelf speakers up to 20 lbs (9,1 kg)

Includes two speaker stands

Available in Black

ELO

Fits most small satellite speakers up to 4 lbs (1,8 kg)

26" (66 cm) to 36" (91,4 cm) height adjustable post allows for ideal listening position

Available in High Gloss Black with black glass

5.0 W/C

Fits most Bookshelf speakers up to 5 lbs (2,3 kg)

Suitable for all-weather use

Available in Black

5.0 W/C

10.0 W/C

Fits most Bookshelf speakers up to 10 lbs (4,5 kg)

Suitable for all-weather use

Available in Black

10.0 W/C

15.0 W/C

Fits most Satellite speakers up to 15 lbs (6,8 kg)

Suitable for all-weather use

Available in Black

15.0 W/C

25.0 W/C

Fits most Satellite speakers up to 25 lbs (11,3 kg)

Suitable for all-weather use

Available in Black

25.0 W/C

AB1

Fits most micro satellite speakers up to 2.5 lbs (1,1 kg)

Mount on wall or ceiling

Suitable for all-weather use

Available in Black

AB2

Fits most medium bookshelf speakers up to 8 lbs (3,6 kg)

Mount on wall or ceiling

Suitable for all-weather use

Available in Black

OCSBA

Supports sound bars up to 30 lbs (13,6 kg)

Easily attaches a sound bar below a TV mount

Works with most brands or styles of TV mount (fixed, tilt, full motion, interactive)

Improves audio quality, especially when used with full motion TV mounts

Available in Black

PROJECTOR MOUNTS

PJT40

Fits most small to large projectors up to 40 lbs (18,1 kg)

Legs adjustable from 5" to 19.8"

Pitch: +/–15°, Roll: +/–15°, Yaw: +/–180°

Includes ceiling plate

3N1-PJT / PRO-PJT

Fits most small to large projectors up to 40 lbs (18,1 kg)

Legs adjustable from 5" to 19.8"

Pitch: +/–15°, Roll: +/–15°, Yaw: +/–180°

Includes ceiling plate

OMNIMOUNT ESSENTIALS

OCM

CABLE MANAGEMENT

Cable management solutions are the ideal way to finish a TV mount installation. Choose the solution that's best for your space, either on-wall or in-wall, and hide your messy cables in no time.

OCM

On-wall cable management cover

Low profile on-wall cable managment

Install in minutes, anywhere on the wall

Perforations every 9" for custom lengths

OPK2

OPK2

In-wall cable management system

Route your cables in-wall without an electrician

Easy snap-fit installation

OECMS

OECMS

Cable management sleeve

Form-fitting neoprene material allows for multiple cables and flexibility

CMK

CMK

On-wall cable management cover

Modular design allows for any configuration

Routes wires vertically or horizontally with 90° elbow

CMK MINI

CMK MINI

On-wall cable management cover

Modular design allows for any configuration

Routes wires vertically or horizontally with 90° elbow

OESK

SAFETY KIT

Prevents tipping to protect children and pets

OESK

Includes: 2 cables & hardware kit

RACK SYSTEMS & CARTS

RE12W

ENCLOSED RACKS AND ACCESSORIES

Fully assembled standard 19" rack enclosure works with all standard 19" rack accessories

Accepts front or rear rack-mounted components

Fully enclosed cooling system with top and bottom ventilation; includes pre-installed cooling fans on top

Lockable tempered-glass left- or right-hinged front door

Removable side panels for easy servicing

RE18

RE12W

Wall mounted rack; supports up to 120 lbs (54,4 kg)
(fans not included)

RE27

RE18

(1) 18-space rack; supports up to 500 lbs (226,8 kg)

(3) 2U-space shelves; each supports up to 50 lbs (22,7 kg)

(3) 2U-space solid blanks

RE27

(1) 27-space rack; supports up to 750 lbs (340,2 kg)

(5) 2U-space shelves; each supports up to 50 lbs (22,7 kg)

(5) 2U-space solid blanks

RE42

RE42

(1) 42-space rack; supports up to 1100 lbs (500 kg)

(3) 5U-space shelves; each supports up to 100 lbs (45,4 kg)

(7) 2U-space shelves; each supports up to 50 lbs (22,7 kg)

(10) 2U-space solid blanks

RE2UBLANK

Add on for the RE18, RE27 and RE42 for a clean appearance

RE2USHELF

RE2USHELF

Add on for the RE18, RE27 and RE42 for managing additional components

Shelf supports up to 50 lbs (22,7 kg)



RE5USHELF

RE5USHELF

Add on for the RE18, RE27 and RE42 for managing additional components

Shelf supports up to 100 lbs (45,4 kg)

OESP10

OESP10

10 outlet, rack mountable AC strip with 450 Joules of surge protection

PROHDCART

Fits most 37–65" TVs up to 125 lbs (56,7 kg)

Universal & VESA compliant 200x100 to 900x500

Height adjustable from 52–72" in 1" increments, pan and tilt +15° to -5°

Lift n' Lock™ for quick installation

Display can be mounted in portrait or landscape orientation

ABOUT OMNIMOUNT

Why choose OmniMount? We support the technology that brings your home to life. And we've been doing it for over 35 years. We provide expert product installation videos and 24/7 customer care.

www.omnimount.com

24/7 **800.MOUNT.IT (800.668.6848)**

facebook.com/omnimount

YouTube **omnimount1978**

@omnimount

OmniMount is a registered trademark and brand of Ergotron, Inc. ©2016 Ergotron, Inc. is a Nortek Company

870-01-060-EA 06/01/2016