



# PRODUCT CATALOG



## About OmniMount

For over 38 years OmniMount has upheld its position as a global leader in product innovation. From the beginning, OmniMount honed its skills as a pioneer in the field of audio mounts and, as the once separated worlds of hi-fi and video fused into home theater, continued to build on its strong foundation and heritage with a complete portfolio of AV mounting solutions for residential and commercial applications. With over 33 patents, the OmniMount product line has grown to include TV mounts, AV wall shelves, ceiling and projector mounts, professional AV racks and carts, speaker mounts and stands, and a line of specialty AV accessory products. OmniMount's talented team of in-house industrial designers and engineers is recognized throughout the consumer electronics industry for producing innovative and reliable products, and is regularly honored with industry awards for groundbreaking design, precise attention to detail, superior quality and long-term reliability. In 2012, OmniMount joined Ergotron, Inc., a leader in display mounting, furniture and mobility solutions. The OmniMount sales headquarters is located in Phoenix, Arizona, with global headquarters in St. Paul, Minnesota and overseas in Amersfoort, Netherlands.

OmniMount, a brand of Ergotron, Inc., is driven by constant innovation with a singular, unified purpose: to make our customers' lives better. All Ergotron brands are conceived of with out-of-the-box thinking, fueled by cutting-edge technology and ignited by a robust management philosophy that promotes operational excellence. From product design to performance and support, every Ergotron product group sets a new standard and improves how our global customers live and work.

## Table of Contents

Why OmniMount	4
TV Wall Mounts	8
OmniElite Series	9
ActionMount Series	12
OmniSelect Series	14
OmniClassic Series	17
EZMount Series	20
OmniPro Custom Installer Series	21
TV Wall Mounts	21
Rack Systems	25
Carts	27
AV Wall Shelves	29
Ceiling Mounts & Projector Mounts	33
Speaker Stands & Mounts	37
OmniMount Essentials	40
Line Drawings	43

# Why OmniMount

It's our mission to develop solid relationships by providing high-quality products, valuable marketing tools and excellent customer service. Established in 1978, OmniMount products have defined home cinema and are trusted by the most demanding tech enthusiasts. With more than 38 years of experience, we understand the industry better than anyone and are dedicated to listening and delivering.



## WORLD-CLASS PACKAGING & IN-STORE DISPLAYS

Whether displaying product at retail or in a showroom, OmniMount's clearly marked compatibility specs make it easy to quickly and confidently find the right solution.

## AWARD-WINNING PRODUCTS & INNOVATION

OmniMount strives to produce the highest quality products on the market, as well as constantly pushing the limits of innovation. The result is a collection of products that has been recognized by the consumer electronics industry and regularly honored with distinguished industry awards.



24/7

## CUSTOMER CARE

OmniMount provides 24/7 phone support in the US and world-class coverage across the globe.

"I have to write and thank you for the absolutely best customer service ..."  
- Heinrich S, customer

"I could not be happier. I did not think this kind of service existed anymore ..."  
- David K, customer

## OMNIMOUNT.COM

The OmniMount website makes it easy to find in-depth product information, including installation manuals and product specifications sheets, recent news coverage and press releases, and general updates via the OmniMount blog. It also boasts live chat customer service. Multiple languages are available by selecting country/region from the pull-down menu in the upper right. It's also compatible with mobile devices, making it easily accessible while on the go.




## OMNIMOUNT FINDER

Recognizing that product compatibility is paramount to you and your customers, we've updated our OmniMount Finder. It's easy to search by TV brand and model number and get reliable results.




## QUALITY INSTALLATION VIDEOS

Created for nearly every product OmniMount sells, the in-depth step-by-step installation videos instill confidence in novice installers and offer up tips and tricks for more seasoned pros.



OmniMount is an active user of Twitter, Facebook and Pinterest and regularly interacts with customers via social channels.



## DEALER RESOURCE CENTER

Our goal is to make doing business easy and mutually beneficial. The OmniMount dealer resource center provides quick access to product images, logos, literature and sales collateral.



## EMAIL NEWSLETTERS

We're refining our communications process to better serve you with information relevant to your business and the industry events that you attend. Join the OmniMount Newsletter list via the website signup form.



Attach rails to TV



Install mount on wall



Hang TV on mount

We strive to make every out-of-box experience simple and intuitive, using just a few tools.



SAFE & CERTIFIED

Our products undergo a testing regimen that is establishing the benchmark and exceeding the industry's most rigid certifications. OmniMount strives to provide the highest levels of trouble-free product performance and longevity, delivering peace of mind to customers.

Every TV mount is tested to UL2442 standards, the most advanced standards created by UL



### TRUTH IN MOUNTING

To ensure truth in mounting, OmniMount products go through a rigorous testing process in a facility dedicated to the manufacture and distribution of OmniMount products. Cycle testing is done on every moving feature, not just full motion, for guaranteed performance.

The OmniMount facility performs 100% end-of-line testing, life-cycle testing, and a host of other in-process tests, ensuring the highest quality products.

- Up to 7,500-cycle test applied to height-adjustable mechanisms, ensuring years of trouble-free height adjustment
- All product functions are endurance tested to expected life of the product
- 100% functional test for every product
- Cycle testing performed on sample basis per product reliability criteria
- Load Testing: 4x load test (meets or exceeds UL requirements) ensures product safety for the rigors of public use



## Getting familiar with TV Mounts

For years there were three types of TV wall mounts: Fixed, Tilt and Full Motion. OmniMount is responsible for launching a fourth category: Interactive. OmniMount's interactive mounts are designed with patented Constant Force™ technology and move TVs like no other mounts on the market. Let our innovation set you apart from the pack.

### FIXED

#### LOWEST PROFILE

Very low profile mounts for dedicated viewing areas



### TILT

#### REDUCES GLARE

Tilt your TV down to avoid screen glare or achieve a better viewing angle



### FULL MOTION

#### FLEXIBILITY

Pull your TV away from the wall and tilt, pan or swivel for multi-room viewing



### INTERACTIVE

#### MAXIMUM MOVEMENT

Height adjustment and full motion functionality featuring patented Constant Force™ technology



# TV Wall Mounts



## OMNIELITE SERIES

The OmniElite series is a flagship line of mounts for larger, lighter TVs. Whether looking for a fixed, tilt or full motion mount, the OmniElite series will provide a solution with all the bells and whistles for a truly superior installation.

WHAT'S BETTER THAN LOW PROFILE? **NO PROFILE.** OMNIMOUNT'S OE120IW IS A FULL MOTION MOUNT THAT GETS RECESSED IN THE WALL, PROVIDING ALL THE FLEXIBILITY OF A FULL MOTION MOUNT WITHOUT THE BULK. EASILY ATTACH YOUR FLAT SCREEN TV BETWEEN TWO WALL STUDS FOR A NEARLY FLUSH FINISH. THE PREASSEMBLED BOX AND MOUNT DUO MAKE INSTALLATION EASY.

### FULL MOTION

- Complete in wall system with pre-installed wall mount
- Low profile finish with the flexibility of full motion
- Strong and compact
- Ample cable management
- Full motion with left and right pan (great for rooms with multiple viewing areas)
- Extremely low profile design
- Extruded aluminum arms for superior finish
- Elegant arm design looks beautiful when TV is pulled away from the wall
- High-end materials and finishing
- UL 2442 rated and tested to 6000 cycles
- Special channel routes cables from TV to wall, concealing wires
- Lift n' Lock allows you to easily attach your TV to the mount
- Equipped with patented gravity tilt, providing perfect tension no matter what angle you position the TV
- TV tilts forward to reduce screen glare (great for rooms with windows)
- Works with the OmniMount OPK2 power accessory kit to hide wires
- Can be used with off-the-shelf electrical components
- 5-year warranty
- Available in Anodized aluminum



### OE120IW

#### RECESSED IN-WALL MOUNT

Fits most: 42-80" (107-203 cm) TVs  
Supports up to: 120 lbs (54,4 kg)  
Mounting profile: 0.5" (1,3 cm)  
Maximum extension: 10.75" (27,3 cm)  
VESA compliant: 100x100 to 600x400  
Tilt: -1 to +10°  
Post installation leveling: +/-3°  
Mounting: 16" stud

TWICE 2014  
**BEST SHOW  
WINNER**

TWICE Best of Show  
Winner 2014



CEA Mark of Excellence  
Winner 2015



TWICE Top Picks  
2015

# OMNIELITE SERIES

## FULL MOTION

Full motion with left and right pan (great for rooms with multiple viewing areas)

Low profile design

Cast aluminum arms for superior strength

Highly stylized to complement HD and Ultra HD panels

Unique joint design offers easy, smooth movement of the TV

UL 2442 rated and tested to 6,000 cycles

Special channel routes cables from TV to wall, concealing wires

Lift n' Lock™ makes installation a three-step process

TV tilts forward to reduce screen glare (great for rooms with windows)

DIY-friendly mounting template

5-year warranty

Available in Black



### OE80FM

#### MEDIUM FULL MOTION MOUNT

Fits most: 32-52" (82-132 cm) TVs

Supports up to: 80 lbs (36,3 kg)

Mounting profile: 2.5" (6,4 cm)

Maximum extension: 19.5" (49,5 cm)

Universal & VESA compliant: 200x100 to 600x400

Tilt: 0 to +10°

Post installation leveling: Yes

Mounting: Single-stud or solid wall



### OE150FM

#### LARGE FULL MOTION MOUNT

Fits most: 47-90" (119-229 cm) TVs

Supports up to: 150 lbs (68 kg)

Mounting profile: 2.6" (6,6 cm)

Maximum extension: 16.7" (42,4 cm)

Universal & VESA compliant: 200x100 to 800x400

Tilt: 0 to +10°

Post installation leveling: Yes

Mounting: Double-stud or solid wall

# OMNIELITE SERIES

## TILT



### OE150T

#### LARGE TILT MOUNT

Fits most: 47-80" (119-203 cm) TVs

Supports up to: 150 lbs (68 kg)

Mounting profile: 1.4" (3,5 cm)

Universal & VESA compliant: 200x200 to 600x600

Tilt: up to +10°

Mounting: 16" or 24" double-stud; solid wall

Low profile design

TV tilts forward to reduce screen glare (great for rooms with windows)

Highly stylized to complement HD and Ultra HD panels

UL 2442 rated for guaranteed safety

Lift n' Lock makes installation a three-step process


DIY-friendly mounting template

Kickstand holds TV for easy wiring

Post installation leveling

5-year warranty

Available in Black



## FIXED



### OE200F

#### EXTRA LARGE FIXED MOUNT

Fits most: 52-90" (132-228 cm) TVs

Supports up to: 200 lbs (90 kg)

Mounting profile: 0.7" (1,8 cm)

Universal & VESA compliant: 400x400 to 600x400

Mounting: 16" or 24" double-stud; solid wall

Low profile design

Fixed position ideal for dedicated viewing areas

Highly stylized to complement HD and Ultra HD panels

UL 2442 rated for guaranteed safety


Lift n' Lock makes installation a three-step process

DIY-friendly mounting template

Post installation leveling

5-year warranty

Available in Black



Kicks out for easy wiring



Sliding lateral on-wall adjustment



Lift n' Lock™ easy 3-step installation

# ACTIONMOUNT SERIES

Sit. Stand. Stretch. Play – all at the perfect angle. The ActionMount Series by OmniMount takes interactivity with your TV to the next level.

## PLAY



### PLAY20

#### INTERACTIVE MOUNT

Fits most: 19–32" (49–81 cm) TVs/displays  
 Supports: 7–20 lbs (3,2–9,1 kg)  
 Mounting profile: 3.9" (10 cm)  
 Maximum extension: 16.6" (42 cm)  
 Horizontal movement: 30" (76 cm)  
 Vertical adjustment: 13" (33 cm)  
 Tilt: +5° to -70° / Pan: 180° / Rotation: 180°  
 VESA compliant: 75x75 to 200x200  
 Available in Polished aluminum



### PLAY20X

#### INTERACTIVE MOUNT

Fits most: 19–32" (49–81 cm) TVs/displays  
 Supports: 7–20 lbs (3,2–9,1 kg)  
 Mounting profile: 3.9" (10 cm)  
 Maximum extension: 25.6" (65 cm)  
 Horizontal movement: 48" (122 cm)  
 Vertical adjustment: 13" (33 cm)  
 Tilt: +5° to -70° / Pan: 180° / Rotation: 180°  
 VESA compliant: 75x75 to 200x200  
 Available in Polished aluminum



### PLAY25

#### INTERACTIVE MOUNT

Fits most: 19–37" (49–94 cm) TVs/displays  
 Supports: 7–25 lbs (3,2–11,4 kg)  
 Tilt: +5° to -70°  
 Vertical adjustment: 20" (51 cm)  
 Mounting profile: 4.4" (11,2 cm)  
 Maximum extension: 21.4" (54 cm)  
 Rotation: 360° with 0° lockout  
 VESA compliant: 75x75 to 200x200  
 Available in Polished aluminum



### PLAY25X

#### INTERACTIVE MOUNT

Fits most: 19–37" (49–94 cm) TVs/displays  
 Supports: 7–25 lbs (3,2–11,4 kg)  
 Tilt: +5° to -70°  
 Vertical adjustment: 20" (51 cm)  
 Mounting profile: 4.4" (11,2 cm)  
 Maximum extension: 33.5" (85 cm)  
 Rotation: 360° with 0° lockout  
 VESA compliant: 75x75 to 200x200  
 Available in Polished aluminum



#### GROUP VIEWING

Hosting a party for the big game has never been easier! Pull the TV away from the wall and raise it to a higher position for great viewing angles.



#### GAMING

Push the TV close to the wall for more room to play, or pull it out and drop it low to get into the action.



#### FITNESS

Bring the TV low for exercise on the floor, like yoga, or collapse it against the wall for the most room to kick, punch and stretch.

# ACTIONMOUNT SERIES

## PLAY



### PLAY40

#### INTERACTIVE MOUNT

Fits most: 30–55" (76–140 cm) TVs/displays  
 Supports: 18–40 lbs (8,2–18,2 kg)  
 Tilt: +10° to -15°  
 Pan: 180°  
 Mounting profile: 5.5" (14 cm)  
 Maximum extension: 24" (61 cm)  
 Horizontal movement: 20" (51 cm)  
 Vertical adjustment: 20" (51 cm)  
 Post-installation leveling: +/-5°  
 VESA compliant: 200x100 to 600x400  
 Mounting: Single-stud or solid wall  
 Available in Black



### PLAY70

#### INTERACTIVE MOUNT

Fits most: 40–60" (101–152 cm) TVs/displays  
 Supports: 35–70 lbs (15,9–31,8 kg)  
 Tilt: +15° to -10°  
 Pan: 180°  
 Mounting profile: 6.5" (16,5 cm)  
 Maximum extension: 28" (71 cm)  
 Horizontal movement: 21.1" (53,5 cm)  
 Vertical adjustment: 20" (51 cm)  
 VESA compliant: 200x100 to 600x400  
 Mounting: Single-stud or solid wall  
 Available in Black



### PLAY40 DUAL STUD KIT

Converts PLAY40 Interactive TV Mount from single-stud to double-stud wall mount  
 Must be used in conjunction with PLAY40 wall mount  
 Available in Black



### PLAY70 DUAL STUD KIT

Converts PLAY70 Interactive TV Mount from single-stud to double-stud wall mount  
 Must be used in conjunction with PLAY70 wall mount  
 Available in Black



The PLAY products are equipped with patented Constant Force™ technology providing fluid, light-touch adjustments for effortless arm movement.



Revolutionary design allows you to interact with your TV when watching movies, gaming, exercising and more

Offers smooth, continuous movement of the TV in all directions  
 Patented Constant Force™ technology enables light-touch adjustments without knobs or levers  
 Enhance picture and 3D viewing with the right screen angle

Improves ergonomic viewing for TVs mounted high on the wall  
 Tilt, pan and swivel for maximum viewing flexibility

Screen can be rotated for portrait or landscape viewing

Cable management clips route wires

Includes complete hardware kit

Single-stud or solid wall mounting

5-year warranty





DESIGNED WITH PATENTED GRAVITY TILT AND PRECISE TOLERANCES TO MAKE ADJUSTING A TV EASY AND RELIABLE

## OMNISELECT SERIES

The OmniSelect Series is designed to make repositioning a TV smooth and easy while ensuring that it stays in the desired place. Quality craftsmanship ensures a lifetime of dependable performance.

## FULL MOTION



### OS50FM

#### SMALL FULL MOTION MOUNT

Fits most: 13-37" (33-94 cm) TVs  
Supports up to: 50 lbs (22,7 kg)  
Tilt: +10° to -1°  
Mounting profile: 2.3" (5,7 cm)\*  
Extension from wall: 11.4" (28,9 cm)\*  
VESA compliant: 75x75 to 200x200  
Post installation leveling: +/-3°  
Mounting: Single-stud or solid wall  
\*adapters add 0.3" (8 mm)



### OS80FM

#### MEDIUM FULL MOTION MOUNT

Fits most: 32-50" (82-127 cm) TVs  
Supports up to: 80 lbs (36,3 kg)  
Tilt: +10° to -3°  
Mounting profile: 2.8" (7 cm)\*  
Extension from wall: 14.6" (37 cm)\*  
VESA compliant: 100x100 to 400x400  
Post installation leveling: +/-3°  
Mounting: Single-stud or solid wall  
\*adapters add 0.1" (5 mm)



### OS120FM

#### LARGE FULL MOTION MOUNT

Fits most: 42-70" (107-178 cm) TVs  
Supports up to: 120 lbs (54,4 kg)  
Tilt: +10° to -3°  
Mounting profile: 3.0" (7,6 cm)\*  
Extension from wall: 16.5" (41,8 cm)\*  
VESA compliant: 100x100 to 600x400  
Post installation leveling: +/-3°  
Mounting: Single-stud, Double-stud or solid wall  
Wall plate offers lateral adjustment to center TV  
\*adapters add 0.1" (5 mm)

## OMNISELECT SERIES

### TILT

Equipped with patented gravity tilt, providing perfect tension no matter where you place your TV

Lift n' Lock allows you to easily attach your TV to the mount

Adequate spacing between TV and wall allows for cooling

Provides ample room for cables and wires between TV and wall

Durable powder coat finish

Simple to install and use

Ships fully assembled

Includes adapters for greater VESA compatibility

Includes complete hardware kit

5-year warranty

Available in Black



### OS40TP

#### SMALL TILT MOUNT

Fits most: 13-37" (33-94 cm) TVs  
Supports up to: 40 lbs (18,1 kg)  
Tilt: +10° to -3°  
Pan: 25°  
Mounting profile: 3.0" (7,6 cm)\*  
VESA compliant: 75x75 to 200x200  
Mounting: Single-stud or solid wall  
Offers 25° of pan for side-to-side movement to find the perfect viewing angle  
Offers 6° of post-installation leveling of the mount

\*adapters add 0.3" (6 mm)



### OS50T

#### SMALL TILT MOUNT

Fits most: 13-37" (33-94 cm) TVs  
Supports up to: 50 lbs (22,7 kg)  
Tilt: Up to +18°  
Mounting profile: 2.1" (5,2 cm)\*  
VESA compliant: 75x75 to 200x200  
Mounting: Single-stud or solid wall  
Low 2.1" (52 mm) mounting profile  
\*adapters add 0.2" (6 mm)

Low profile design nests TV close to the wall  
Tilts to reduce screen glare  
Pans left and right between rooms or seating areas  
Fluidly repositions TV and holds in desired position  
Lift n' Lock enables easy three-step installation  
Special channel routes cables from TV to wall  
Leveling feature for fine-tune adjustments  
Die-cast arm for strength and style  
Includes complete hardware kit  
5-year warranty  
Available in Black



Low 2.1" (54 mm) mounting profile

Tilt up to 10° to reduce glare

Equipped with patented gravity tilt, providing perfect tension no matter where you place your TV

Lift n' Lock enables easy three-step installation

Offers adequate spacing between TV and wall for cooling and cable management

Sliding lateral on-wall adjustment

Safety latches prevent TV from sliding off mount

Single wall plate allows for quick and simple installation

Durable powder coat finish

Includes complete hardware kit

5-year warranty

Available in Black



### OS120T

#### LARGE TILT MOUNT

Fits most: 37-70" (94-178 cm) TVs  
Supports up to: 120 lbs (54,4 kg)  
Tilt: Up to 10°  
Mounting profile: 2.1" (5,4 cm)  
VESA compliant: 100x100 to 600x400  
Mounting: 16" or 24" double-stud; solid wall  
Endcaps present a clean sideview



# OMNISELECT SERIES

## FIXED



### OS50F

#### SMALL FIXED MOUNT

Fits most: 13-37" (33-94 cm) TVs  
Supports up to: 50 lbs (22,7 kg)  
Mounting profile: 1.1" (2,8 cm)\*  
VESA compliant: 75x75 to 200x200  
Mounting: Single-stud or solid wall  
Low 1.1" (2,8 cm) mounting profile  
Includes adapters for greater VESA compatibility  
Ships fully assembled

\*adapters add 0.2" (6 mm)



### OS120F

#### LARGE FIXED MOUNT

Fits most: 37-70" (94-178 cm) TVs  
Supports up to: 120 lbs (54,4 kg)  
Mounting profile: 1.6" (4,1 cm)  
VESA compliant: 100x100 to 600x400  
Mounting: 16" or 24" double-stud; solid wall  
Low 1.6" (4,1 cm) mounting profile  
Sliding lateral on-wall adjustment  
Endcaps present a clean sideview  
Safety locks prevent TV from sliding off mount  
Single wall plate allows for quick and simple installation

#### Low profile design

Lift n' Lock allows you to easily attach your TV to the mount

Allows for simple leveling adjustments post-installation

Offers adequate spacing between TV and wall for cooling and cable management

Durable powder coat finish

Simple to install and use

Includes complete hardware kit

5-year warranty

Available in Black



# OMNICLASSIC SERIES

The OmniClassic Series provides a complete range of full motion, tilt and fixed mounting solutions for basic installations. Each mount is designed with simplicity and reliability.

## FULL MOTION

Tilt, pan and swivel for maximum viewing flexibility

Integrated cable management

Tilt forward or back to reduce glare or for overhead installations

Pan display left or right to view from multiple rooms or seating areas

Included adapters fit a wide range of VESA patterns

Lift n' Lock enables easy three-step installation

Includes complete hardware kit

5-year warranty

Available in Black



### OC40FM

#### SMALL FULL MOTION MOUNT

Fits most: 13-37" (33-94 cm) TVs  
Supports up to: 40 lbs (18,1 kg)  
Tilt: +15° to -5°  
Pan: up to 180°  
Mounting profile: 3.2" (8,2 cm)\*  
Maximum extension: 9.5" (24 cm)\*  
VESA compliant: 75x75 to 200x200  
Mounting: Single-stud or solid wall  
Safety screw secures TV to mount  
\*adapters add 0.2" (6 mm)



### OC40FMX

#### SMALL FULL MOTION MOUNT

Fits most: 13-37" (33-94 cm) TVs  
Supports up to: 40 lbs (18,1 kg)  
Tilt: +15° to -5°  
Pan: +90° to -90°  
Mounting profile: 3" (7,6 cm)\*  
Maximum extension: 12.16" (30,8 cm)\*  
VESA compliant: 75x75 to 200x200  
Mounting: Single-stud or solid wall  
\*adapters add 0.2" (6 mm)

Tilt, pan and swivel for maximum viewing flexibility

Integrated cable management

Tilt forward or back to reduce glare or for overhead installations

Pan display left or right to view from multiple rooms or seating areas

Included adapters fit a wide range of VESA patterns

Lift n' Lock enables easy three-step installation

Includes complete hardware kit

5-year warranty

Available in Black



### OC80FM

#### MEDIUM FULL MOTION MOUNT

Fits most: 37-63" (94-160 cm) TVs  
Supports up to: 80 lbs (36,3 kg)  
Tilt: +15° to -5°  
Pan: Up to 180°  
Mounting profile: 3.2" (8,2 cm)\*  
Maximum extension: 13.7" (35 cm)\*  
VESA compliant: 200x200 to 600x400  
Mounting: Single-stud or solid wall  
Low 3.2" (8,2 cm) mounting profile  
\*adapters add 0.2" (6 mm)



### OC120FM

#### LARGE FULL MOTION MOUNT

Fits most: 43-70" (109-178 cm) TVs  
Supports up to: 120 lbs (54,4 kg)  
Tilt: +15° to -1°  
Mounting profile: 3.8" (9,7 cm)\*  
Maximum extension: 19" (48,3 cm)\*  
VESA compliant: 200x200 to 600x400  
Mounting: Double-stud or solid wall  
2.9" (7,4 cm) of lateral adjustment makes TV centering possible  
Open frame provides ample room for power and AV cutouts behind TV  
\*adapters add 0.17" (4 mm)

# OMNICLASSIC SERIES

## TILT



**OC80T.2**  
**MEDIUM TILT MOUNT**  
 Fits most: 37-55" (94-140 cm) TVs  
 Supports up to: 80 lbs (36,3 kg)  
 Tilt: 0° to 10°  
 Mounting profile: 2" (5 cm)  
 Universal & VESA compliant: 200x200 to 400x400  
 Mounting: Double-stud  
 Ideal for TVs with back-loading connectors




**OC100T**  
**MEDIUM TILT MOUNT**  
 Fits most: 23-42" (58-107 cm) TVs  
 Supports up to: 100 lbs (45,4 kg)  
 Mounting profile: 1.7" (4,3 cm)  
 Universal & VESA compliant: 100x100 to 400x300  
 Tilt: 0° / +5° / +10°  
 Mounting: Double-stud or solid wall  
 Low profile offers sufficient room for cable connections and cooling while keeping TV close to the wall  
 Pinned tilt offers uniformity for panels mounted side-by-side  
 Ideal for TVs with bottom or side-loading connectors  
 Wall plate has integrated level  
 Locking bar secures TV to mount

Tilt TV forward to reduce glare or for overhead installations  
 Lift n' Lock feature offers easy, three-step installation  
 Horizontal wall plate requires only two holes for quick installation  
 Small footprint provides ample room for power and AV cutouts behind TV  
 Vertical rails fit VESA and non-VESA TVs and slide on wall plate for minor left/right repositioning  
 Includes complete hardware kit  
 5-year warranty  
 Available in Black



**OC120T**  
**LARGE TILT MOUNT**  
 Fits most: 37-70" (94-178 cm) TVs  
 Supports up to: 120 lbs (54,4 kg)  
 Tilt: 0° to 10°  
 Mounting profile: 2" (5 cm)  
 Universal & VESA compliant: 200x200 to 600x400  
 Mounting: Double-stud  
 Ideal for TVs with back-loading connectors

Tilt TV forward to reduce glare or for overhead installations  
 Lift n' Lock feature offers easy, three-step installation  
 Small footprint provides ample room for power and AV cutouts behind TV  
 Vertical rails fit VESA and non-VESA TVs and slide on wall plate for minor left/right repositioning  
 Includes complete hardware kit  
 5-year warranty  
 Available in Black



# OMNICLASSIC SERIES

## FIXED



**OC40F**  
**SMALL FIXED MOUNT**  
 Fits most: 13-37" (33-94 cm) TVs  
 Supports up to: 40 lbs (18,1 kg)  
 Mounting profile: 0.5" (1,3 cm)\*  
 VESA compliant: 75x75 to 200x200  
 Mounting: Single-stud or solid wall  
 \*adapters add 0.2" (6 mm)

Lift n' Lock makes installation a three-step process  
 Safety screw secures TV to mount  
 Adapters for VESA compatibility up to 200x200 included  
 Includes complete hardware kit  
 5-year warranty  
 Available in Black



Ideal for TVs with bottom or side-loading connectors  
 Lift n' Lock feature offers easy, three-step installation  
 Vertical rails fit VESA and non-VESA TVs and slide on wall plate for minor left/right repositioning  
 Includes complete hardware kit  
 5-year warranty  
 Available in Black




**OC80F.2**  
**MEDIUM FIXED MOUNT**  
 Fits most: 37-55" (94-140 cm) TVs  
 Supports up to: 80 lbs (36 kg)  
 Mounting profile: 0.5" (1,3 cm)  
 Universal & VESA compliant: 200x200 to 400x400  
 Mounting: Double-stud  
 Low profile "hidden" design



**OC100F**  
**MEDIUM FIXED MOUNT**  
 Fits most: 23-42" (58-107 cm) TVs  
 Supports up to: 100 lbs (45,4 kg)  
 Mounting profile: 1.3" (3,3 cm)  
 Universal & VESA compliant: 100x100 to 400x300  
 Mounting: Double-stud or solid wall  
 Low profile offers sufficient room for cable connections and cooling while keeping TV close to the wall  
 Horizontal wall plate requires only two holes for quick installation  
 Wall plate has integrated level  
 Small footprint provides ample room for power and AV cutouts behind TV  
 Locking bar secures TV to mount



**OC120F**  
**LARGE FIXED MOUNT**  
 Fits most: 37-70" (94-178 cm) TVs  
 Supports up to: 120 lbs (54 kg)  
 Universal and VESA compliant: 200x200 to 600x400  
 Profile: 0.6" (1,4 cm)  
 Mounting: Double-stud  
 Low profile "hidden" design  
 Small footprint provides ample room for power and AV cutouts behind TV



# EZmount



1 Attach



2 Mount



3 Hang

## EZMOUNT

The EZMount is the world's easiest, strongest, most discreet way to hang a TV. It's truly a revolutionary mounting system designed for do-it-yourselfers looking to hang a TV anywhere - with or without studs. It mounts in three easy steps, offers an impressively low mounting profile and comes with just about everything you need to mount it right in the box.



### OMEZF

#### SMALL FIXED MOUNT

Fits most: 13-46" (33-117 cm) TVs  
 Supports up to: 40 lbs (18,1 kg) in drywall and 80 lbs (36,3 kg) in a single stud or concrete  
 Mounting profile: 0.85" (2,2 cm)  
 Universal & VESA compliant: 100x100 to 400x400  
 Mounting: Single-stud or drywall

Mount your TV with total ease and confidence anywhere - no studs required  
 Metal design offers strength and aesthetics  
 White plastic covers conceal mounting hardware  
 Impressively low mounting profile  
 Installation template ensures accurate mounting hole placement  
 Lift n' Lock allows you to easily attach your TV to the mount  
 Locking feature prevents accidental lift-off  
 Four mounting points for maximum safety  
 Installs in just minutes with included drill bit, level and installation template  
 Includes complete hardware kit  
 5-year warranty



## OMNIPRO\* SERIES WALL MOUNTS

The OmniPro series gives pro installers a handful of high end products that easily meet the requirements of most installations - no need to explore a myriad of options or place special orders. These products can be easily carried around in a truck and installed whenever the need arises.

\* limited distribution

### FULL MOTION



#### CI40FML

##### MEDIUM FULL MOTION MOUNT

Fits most: 26-50" (66-127 cm) TVs  
 Supports up to: 44 lbs (20 kg)  
 Mounting profile: 2.5" (6,4 cm)  
 VESA compliant: 100x100 to 400x400  
 Tilt: +5° to -15°  
 Full motion mount locks and stows away during travel



#### CI60FM

##### MEDIUM FULL MOTION MOUNT

Fits most: 37-55" (94-140 cm) TVs  
 Supports up to: 60 lbs (27,2 kg)  
 Mounting profile: 2.6" (6 cm)  
 Universal & VESA compliant: 100x100 to 400x400  
 Tilt: 0 to 15°  
 Mounting: Single-stud or solid wall  
 Cable channels help route cables from TV to wall

Tilts to reduce glare  
 Pans and swivels to achieve desired position  
 Lift n' Lock feature offers easy, three-step installation  
 Arm design provides ample extension and nests centered on the wall  
 Includes complete hardware kit  
 Includes adapters for greater VESA compatibility  
 5-year warranty  
 Available in Black



#### CI100FM

##### MEDIUM FULL MOTION MOUNT


Fits most: 37-60" (94-152 cm) TVs  
 Supports up to: 100 lbs (45,3 kg)  
 Mounting profile: 3" (7,6 cm)  
 Maximum extension: 18.3" (46,5 cm)  
 Universal & VESA compliant: 100x100 to 400x400  
 Tilt: 0 to 15°  
 Mounting: Double-stud (16") or solid wall  
 Open frame provides ample room for power and AV cutouts behind TV



#### CI125FM

##### LARGE FULL MOTION MOUNT

Fits most: 37-80" (94-203 cm) TVs  
 Supports up to: 125 lbs (56,7 kg)  
 Mounting profile: 3.8" (9,7 cm)  
 Universal & VESA compliant: 200x200 to 600x400  
 Tilt: 0 to 15°  
 Mounting: Double-stud or solid wall  
 Cable channels help route cables from TV to wall



# OMNIPRO SERIES WALL MOUNTS

## TILT

Tilt TV to reduce glare or for overhead installations

Low profile offers sufficient room for cable connections and cooling while keeping TV close to the wall

Lift n' Lock feature makes single-person installation possible

Open frame provides ample room for power and AV cutouts behind TV

Vertical rails fit VESA and non-VESA TVs

Vertical rails slide on wall plate for minor left/right repositioning

Includes complete hardware kit

5-year warranty

Available in Black



**CI80T**  
**MEDIUM TILT MOUNT**

Fits most: 37-55" (94-140 cm) TVs

Supports up to: 80 lbs (36,3 kg)

Mounting profile: 1.6" (4 cm)

Universal & VESA compliant: 200x200 to 400x400

Tilt: 0 to 10°

Mounting: Double-stud (16") or solid wall



**CI120T**  
**LARGE TILT MOUNT**

Fits most: 37-75" (94-190 cm) TVs

Supports up to: 120 lbs (54 kg)

Mounting profile: 1.6" (4 cm)

Universal & VESA compliant: 200x200 to 600x400

Tilt: Up to +15°

Mounting: 16" or 24" double-stud; solid wall

# OMNIPRO SERIES WALL MOUNTS

## FIXED



**CI80F**  
**MEDIUM FIXED MOUNT**

Fits most: 37-55" (94-140 cm) TVs

Supports up to: 80 lbs (36,3 kg)

Mounting profile: 1" (2,5 cm)

Universal & VESA compliant: 100x100 to 400x400

Mounting: Double-stud (16") or solid wall



**CI120F**  
**LARGE FIXED MOUNT**

Fits most: 37-75" (94-190 cm) TVs

Supports up to: 120 lbs (54,4 kg)

Mounting profile: 1" (2,5 cm)

Universal & VESA compliant: 200x200 to 600x400

Mounting: Double-stud (16" or 24") or solid wall



**OC175F**  
**EXTRA LARGE FIXED MOUNT**

Fits most: 37-90" (94-229 cm) TVs

Supports up to: 175 lbs (79,4 kg)

Mounting profile: 1.7" (4,4 cm)

Universal & VESA compliant: 100x100 to 600x400

Mounting: 16" or 24" double-stud; solid wall



**CI175T**  
**EXTRA LARGE TILT MOUNT**

Fits most: 37-90" (94-229 cm) TVs

Supports up to: 175 lbs (79,4 kg)



Mounting profile: 2.7" (6,9 cm)

Universal & VESA compliant: 100x100 to 600x400

Tilt: Up to +15°

Mounting: 16" or 24" double-stud; solid wall

Locking bar secures TV to mount



Low profile offers sufficient room for cable connections and cooling while keeping TV close to the wall

Lift n' Lock feature makes single-person installation possible

Open frame provides ample room for power and AV cutouts behind TV

Vertical rails fit VESA and non-VESA TVs

Vertical rails slide on wall plate for minor left/right repositioning

Includes complete hardware kit

5-year warranty

Available in Black



# OMNIPRO SERIES ENCLOSED RACK SYSTEMS

OmniMount offers several professional grade rack systems for managing components and giving an organized, polished look to any AV installation.



## RE12W

### WALL MOUNTED RACK SYSTEM

Mounting: 15.75" (40 cm) on center width and 19.75" (50.1 cm) on center height

Product dimensions: 23.4" w x 21.9" d x 25.3" h (59.4 cm x 55.6 cm x 64.2 cm)

Product weight: 61.6 lbs (27.9 kg)

Weight capacity:

RE12W supports up to 120 lbs (54.4 kg)



## RE18

### ENCLOSED RACK SYSTEM

Includes:

(1) 18 space rack

(3) 2U space shelves: 16" deep

(3) 2U space solid blanks

Weight capacity:

RE18 supports up to 500 lbs (226.8 kg)

2U shelf supports up to 50 lbs (22.7 kg)

12U size is great for networking, automation, hi-fi and home theater use

Heavy-gauge steel construction

Open architecture for custom shelf configuration (shelves sold separately)

Standard 19" rack enclosure works with all standard 19" rack accessories

ANSI 10-32 thread works with standard hardware

Fully assembled frame saves valuable time on the jobsite

Lockable tempered-glass left- or right-hinged front door

Heavy-duty hinges support rack and gear to access wiring

Wall hinge opens to the left

Removeable side panels for easy servicing

Rear cable knockouts

Vented top and bottom (fans not included)

Side panels are lockable (locks not included)

5-year warranty

Available in Black

Standard 19" rack enclosure works with all standard 19" rack accessories

Heavy-gauge steel construction

Fully enclosed cooling system with top and bottom ventilation

Includes pre-installed cooling fans on top

Lockable tempered-glass left- or right-hinged front door

Removable side panels for easy servicing

Adjustable feet level and stabilize rack without interfering with casters

Top and bottom cable routing knockouts

Front and back can be swapped and are on hinges

Side panels are lockable (locks not included)

Accepts front or rear rack mounted components

Caster base provides easy placement inside closets or against walls

Ships assembled

Includes complete hardware kit

5-year warranty

Available in Black

ALL OMNIMOUNT RACKS  
SHIP FULLY ASSEMBLED

# OMNIPRO SERIES ENCLOSED RACK SYSTEMS

- Standard 19" rack enclosure works with all standard 19" rack accessories
- Heavy-gauge steel construction
- Fully enclosed cooling system with top and bottom ventilation
- Includes pre-installed cooling fans on top
- Lockable tempered-glass left- or right-hinged front door
- Removable side panels for easy servicing
- Adjustable feet level and stabilize rack without interfering with casters
- Top and bottom cable routing knockouts
- Front and back can be swapped and are on hinges
- Side panels are lockable (locks not included)
- Accepts front or rear rack mounted components
- Caster base provides easy placement inside closets or against walls
- Ships assembled
- Includes complete hardware kit
- 5-year warranty
- Available in Black



**RE27**  
ENCLOSED RACK SYSTEM

Includes:

- (1) 27 space rack
- (5) 2U space shelves: (1) 18" deep; (4) 16" deep
- (5) 2U space solid blanks

Weight capacity:  
RE27 supports up to 750 lbs (340,2 kg)  
2U shelf supports up to 50 lbs (22,7 kg)



**RE42**  
ENCLOSED RACK SYSTEM

Includes:

- (1) 42-space rack
- (2) 5U-space shelves with cable ties: 20" deep
- (7) 2U-space shelves: 16" deep
- (9) 2U-space solid blanks

Weight capacity:  
RE42 supports up to 1100 lbs (500 kg)  
5U shelf supports up to 100 lbs (45,4 kg)  
2U shelf supports up to 50 lbs (22,7 kg)

## ACCESSORIES



**REO14U**  
OPEN RACK SYSTEM

Includes:

- (1) 14U space rack

Weight capacity:  
REO14U supports up to 500 lbs (227 kg) floor loaded or 150 lbs (68 kg) wall mounted

Heavy gauge steel construction with black powder coat finish

10/32 threaded and 25 sets of hardware included

Pre-welded side for quick assembly

Leveling feet included

Optional casters (sold separately)

Stackable

### RE2USHELF



Add-on for the RE12W, RE18, RE27 and RE42 for managing additional components

Accommodates heavier and extra-deep components

Vented for component cooling

Durable powder coat finish

Shelf clamp secures component

Easy to install

Includes complete hardware kit

Supports up to: 50 lbs (23 kg)

Available in Black

### RE5USHELF



Add-on for the RE12W, RE18, RE27 and RE42 for managing additional components

Accommodates heavier and extra-deep components

Vented for component cooling

Durable powder coat finish

Shelf clamp secures component

Easy to install

Includes complete hardware kit

Supports up to: 100 lbs (45 kg)

Available in Black

### RE2UBLANK



Add-on for the RE12W, RE18, RE27 and RE42 for a clean appearance

Durable powder coat finish

Easy to install

Includes complete hardware kit

Available in Black

### OESPI0



Protect your electronic equipment from electrical surges

Equipped with 10 outlets with 450 joule energy rating

Safely clips into most racks for seamless look

Universal for standard EIA spacing

EMI/RFI filtration reduces audio/video noise

9' cord with flat 90° plug

## THE PROHDCART OFFERS:



### SUPERIOR PRODUCT DESIGN

- Included adapters to fit a wide range of TVs or LCD displays
- Integrated cable management channels for organizing cables (shown)
- Additional accessories available (for custom tailored units)



### CONVENIENT FUNCTIONALITY

- Height adjustment to fit most viewing needs (shown)
- Displays can be mounted in portrait or landscape orientation
- Caster base with four locking, non-scuffing wheels for safe and easy movement



### HASSLE-FREE INSTALLATION

- Speedy assembly and installation
- Includes complete hardware kit

## OMNIPRO SERIES CARTS

The OmniMount PROHDCART provides vertical adjustment and cable management to meet all your mobile media needs.



**PROHDCART**  
HEAVY-DUTY TV CART

Fits most 37-65" TVs

Supports up to: 125 lbs (56,7 kg) (sum of shelves, components and TV)

Shelf capacity: 40 lbs (18,1 kg)

Tilt: +15° to -5°

Universal and VESA compliant: 200x100 to 900x500

Telescoping post with locking pin allows for 52-72" (132-183 cm) height adjustment in 1" (2,5 cm) increments

Includes universal adapter for greater panel compatibility

Lift n' Lock for quick installation

Displays can be mounted in portrait or landscape orientation

Adjustable and lockable shelf comes with component strap and can be repositioned in 1" (2,5 cm) increments

Shelf can be positioned in front or back to hide components when needed

Integrated in-post cable management

AC cord wrap for hassle-free transport

Nesting base for easy storing of multiple carts

Caster base with four locking, non-scuffing 4" (10 cm) wheels provides safe and easy movement over any surface

Rubberized bumpers won't scuff walls or doors

Quick assembly

Additional shelves available as an accessory

Includes complete hardware kit

5-year warranty

Available in Black





# AV Wall Shelves

## AV WALL SHELVES

OmniMount wall shelves offer a fresh approach to managing cables and components. Designed as affordable, space-saving accessories to your TV or simply as stand-alone pieces, these solutions allow you to neatly organize components under a TV without running connections through the wall.

### OWS SERIES

- Store and display your tech gear beneath your TV
- Simple installation
- Post-installation leveling for added ease of install
- Use alone or with additional shelves
- Adjustable shelf height
- Black finish complements technology
- Includes complete hardware kit
- 5-year warranty
- Available in Black with black glass



#### OWS22 WALL SHELF

Supports up to: 22 lbs (9,9 kg) maximum shelf capacity  
 Shelf height adjustment: 4.25" (10,8 cm)  
 Leveling: +/-1 degree (post-installation)  
 Mounting: Single-stud  
 Surface size: 16.5"w x 11.5"d (42 cm x 29 cm)  
 Glass thickness: 5 mm  
 Also great as a nightstand or display shelf



#### OWS60 WALL SHELF

Supports up to: 60 lbs (27,2 kg) double-stud and 25 lbs (11,3 kg) single-stud  
 Leveling: +/-1 degree (post-installation)  
 Mounting: 16" wood studs or drywall  
 Cable channel length: 3' total; (2) 18" sections  
 Surface size: 42"w x 13"d (107 cm x 33 cm)  
 Glass thickness: 6 mm  
 Includes hassle-free cable channel system for routing and concealing wires on the wall  
 Cable channel can be painted or trimmed  
 Wall shelf easily accommodates a sound bar or side-by-side components  
 Under-shelf cubby houses small components and electronic accessories  
 Cubby easily accommodates a surge protector power strip



CREATE A MINIMALIST LOOK WITH THE OWS AV WALL SHELF - NO NEED FOR FURNITURE! WORKS WITH TVs OF ANY SIZE.

# AV WALL SHELVES

## BLADE SERIES

Low 1.2" (30 mm) profile complements ultra-thin TVs

Simple installation with one-piece frame and flip-down shelf

Modular design makes pieces stackable

Ideal for placing components like DVD players, cable boxes, video game consoles and more, near the TV  
Integrated cable management hides wires

Can be mounted under a flat panel or as a stand-alone unit

5-year warranty

Satin Black finish is paintable to match any wall color



### BLADE2

#### LOW-PROFILE AV WALL SHELVES

Two cascading tempered glass shelves support up to 35 lbs (15,9 kg) (double-stud) or 25 lbs (11,4 kg) (single-stud) each

Mounting profile: 1.2" (3 cm)

Mounting: Single- or double-stud

Color: Satin Black with black glass

Dimensions: 22.3"w x 24"h x 16.2"d (565 mm x 610 mm x 411 mm)

Glass thickness: 6 mm



### BLADE1

#### LOW-PROFILE AV WALL SHELF

Tempered glass shelf supports up to 35 lbs (15,9 kg) (double-stud) or 25 lbs (11,4 kg) (single-stud)

Mounting profile: 1.2" (3 cm)

Mounting: Single- or double-stud


Color: Satin Black with black glass

Dimensions: 22.5"w x 11.9"h x 16.1"d (572 mm x 302 mm x 409 mm)

Glass thickness: 6 mm

### DID YOU KNOW?

The Blade Series has integrated cable management that hides wires and routes them to components.



Blade1 without cover



BLADE SERIES WALL FURNITURE PIECES COMBINE FUNCTION WITH COOL. WITH LOW MOUNTING PROFILES THAT MAKE THEM THE PERFECT COMPLEMENT TO ULTRA-THIN TVs AND SHELVES THAT FLIP DOWN FOR EASE OF INSTALLATION, THESE PIECES ARE GREAT ADDITIONS TO YOUR HOME THEATER.



### MOD1

#### LOW-PROFILE AV WALL SHELF

Supports up to: 30 lbs (13,6 kg) maximum shelf capacity

Mounting profile: 0.94" (2,4 cm)

Mounting: Single-stud

Dimensions: 17.5"w x 13.7"h x 13.4"d (445 mm x 351 mm x 337 mm)

Glass thickness: 6 mm

Ideal for placing components like DVD players, cable boxes, video game consoles and more, near the TV  
Stackable with additional MOD1s to create a multiple shelf solution

Engineered from extruded aluminum with an anodized finish to complement newer TVs

Integrated cable management hides wires

Refined construction and components for smaller packaging

5-year warranty

Available in Black with black glass



### ECS

#### LOW-PROFILE AV WALL SHELF

Supports up to: 30 lbs (13,6 kg) maximum shelf capacity

Pan: 15° left and right

Mounting: Single-stud

Dimensions: 18.0"w x 9.1"h x 20.1"d (457 mm x 231 mm x 571 mm)

Glass thickness: 8 mm

Pivoting arm for side-to-side movement

Wall plate hides bolts

Includes complete hardware kit

5-year warranty

Available in Black with clear glass



# AV WALL SHELVES

## TRIA SERIES



### TRIA

#### ADJUSTABLE AV WALL SHELF

Three tempered glass shelves support up to 30 lbs (13,6 kg) each

Mounting: Single-stud

Dimensions: 17.5"w x 50"h x 16.5"d (445 mm x 1270 mm x 419 mm)

Glass thickness: 6 mm

Compatible with Tria 1 and Tria 2



### TRIA 2

#### ADJUSTABLE AV WALL SHELF

Two tempered glass shelves support up to 30 lbs (13,6 kg) each

Mounting: Single-stud

Dimensions: 17.5"w x 32.5"h x 16.5"d (445 mm x 826 mm x 419 mm)

Glass thickness: 6 mm

Compatible with Tria 1



### TRIA 1

#### ADJUSTABLE AV WALL SHELF

Tempered glass shelf supports up to 30 lbs (13,6 kg)

Mounting: Single-stud

Dimensions: 17.5"w x 16.5"h x 16.5"d (445 mm x 419 mm x 419 mm)

Glass thickness: 6 mm

Compatible with Tria 2

Fully adjustable shelves at 1" increments

Integrated cable management hides wires

Paintable and trimmable covers

Easy to install

Can be used with or without TV

5-year warranty

Available in Black with black glass



THE TRIA SERIES WALL SHELVES OFFER HASSLE-FREE SHELVING AND CABLE MANAGEMENT SOLUTIONS SUITABLE FOR ANY ENVIRONMENT AND CAN BE USED WITH OR WITHOUT A TV. USER-FRIENDLY FEATURES LIKE ADJUSTABLE SHELVES AND PAINTABLE, TRIMMABLE COVERS MAKE THEM GREAT FOR ANY APPLICATION.

### WHY TRIA WALL FURNITURE?

Wall furniture makes it possible to hide wires from the component to the outlet without having to run them through the wall.



# Ceiling Mounts



## & Projector Mounts

### CEILING MOUNTS



#### DCM250

##### DOUBLE TILT TV MOUNT

Fits most: 32-65" (81-165 cm) TVs  
Supports up to: 250 lbs (113,4 kg)  
Tilt: Up to 25° in 5° increments  
Pipe drop: 24"  
VESA compliant: 200x100 to 600x400  
Mounting: Ceiling  
Supports two panels for back-to-back mounting

Portrait or landscape orientation  
Includes universal adapter(s), ceiling plate and Grade 5 hardware kit  
Tension adjustment for variable tilt or locking pin for precise positioning  
Route cables through pipe and ceiling plate for a clean installation  
Lift n' Lock for a fast, one-person install  
Standard thread works with any 1.5" NPT pipe  
Threaded bottom pipe for additional accessories  
Anti-theft security hardware  
5-year warranty  
Available in Black



# CEILING MOUNTS

- Portrait or landscape orientation
- Includes universal adapter(s), ceiling plate and Grade 5 hardware kit
- Tension adjustment for variable tilt or locking pin for precise positioning
- Route cables through pipe and ceiling plate for a clean installation
- Lift n' Lock for a fast, one-person install
- Standard thread works with any 1.5" NPT pipe
- Threaded bottom pipe for additional accessories
- Anti-theft security hardware
- 5-year warranty
- Available in Black



## SCM125 SINGLE TILT TV MOUNT

Fits most: 32-65" (81-165 cm) TVs  
Supports up to: 125 lbs (56,7 kg)  
Tilt: Up to 25° in 5° increments  
Pipe drop: 24"  
VESA compliant: 200x100 to 600x400  
Mounting: Ceiling



The SCM125 is equipped with a pin tilt mechanism which tilts the TV at precise increments making it well-suited for single or multiple TV installations



# PROJECTOR MOUNTS

- Complete out-of-box solution includes ceiling plate, projector mount and all necessary hardware
- Lift n' Lock for a fast, one-person install
- NPT extension pipes available in 12", 18" and 24" lengths
- 5-year warranty
- Available in Black



## PJT40 UNIVERSAL PROJECTOR MOUNT

Fits: Small to large projectors  
Supports up to: 40 lbs (18,1 kg)  
Pitch: +/-16.5°  
Roll: +/-16.5°  
Yaw: +/-180°  
Mounting: Single-stud or solid ceiling  
Material: Steel  
All exposed hardware has unique penta shape for security  
Patent-pending MicroDial™ design means pitch and roll are interchangeable, and micro adjustments are done by hand  
Patent-pending QuickLock™ feature for sliding connectors to the correct mounting position; no tools required  
Projector mount connectors can be tucked up for a lower profile or extended to access projector controls



PJT40's omni-directional turnbuckle design makes positioning the projector easy: pitch and roll are interchangeable and micro adjustments are done by hand



## 3N1-PJT/PRO-PJT UNIVERSAL PROJECTOR MOUNT

Fits: Small to large projectors  
Supports up to: 40 lbs (18,1 kg)  
Pitch: +/- 15°  
Roll: +/- 15°  
Yaw: +/- 180°  
Universal mounting pattern fits projectors with any hole pattern  
Legs adjustable from 5" to 19.8" diagonally for small to large projectors

## ACCESSORIES

### 1.5" NPT EXTENSION PIPES

NPT12-12" Extension Pipe  
NPT18-18" Extension Pipe  
NPT24-24" Extension Pipe  
Available in Black



### PFC-A

#### FEMALE PIPE ADAPTER

For use with standard 1.5" NPT pipe  
Integrated cable management hides wires  
Available in Black and Platinum



# Speaker Stands & Mounts



## SPEAKER STANDS & MOUNTS

Being not only the originator, but also the leader of the category, there is no doubt that OmniMount offers the most reliable and durable speaker mounts on the market today.

### GEMINI SERIES

- Height adjustable post allows for ideal listening position
- Includes interchangeable bases for four color options
- In-post cable management hides up to 14-gauge speaker wire
- Steel isolation spikes minimize vibration and stabilize base
- 5-year warranty
- Available in Black



#### GEMINI 1 MEDIUM SATELLITE SPEAKER STAND

Fits most: Medium satellite speakers  
Supports speakers up to: 8 lbs (3,6 kg)  
Includes: Two speaker stands  
Dimensions: 8.5" w x 31-45" h x 10.5" d  
(216 mm x 787-1143 mm x 267 mm)  
Includes four universal adapters for maximum speaker compatibility  
31-45" (78,7-114,3 cm) height adjustable post allows for ideal listening position



#### GEMINI 2 LARGE SATELLITE SPEAKER STAND

Fits most: Large bookshelf speakers  
Supports speakers up to: 20 lbs (9,1 kg)  
Includes: Two speaker stands  
Dimensions: 11.5" w x 24" h x 13" d  
(292 mm x 610 mm x 330 mm)  
31" (787 mm) height with included extension  
24" (61 cm) or 31" (78,7 cm) height for ideal listening position - 7" (17,8 cm) extension included



Brushed Stainless Steel

High Gloss Black



Cherry

Espresso

# SPEAKER STANDS & MOUNTS

## ELO SERIES



### ELO SMALL SATELLITE SPEAKER STAND

Fits most: Small satellite speakers  
Supports speakers up to: 4 lbs (1,8 kg)  
Includes: Two speaker stands  
Dimensions: 11" w x 26-36" h x 10" d  
(279 mm x 660-914 mm x 254 mm)

Includes three universal adapters for maximum speaker compatibility  
26" to 36" height adjustable post allows for ideal listening position  
6 mm tempered glass base with steel post  
In-post cable management hides up to 14-gauge speaker wire  
Rubberized isolation feet minimize vibration and protect floors  
5-year warranty  
Available in High Gloss Black with black glass

## AUDIOBASICS™ SERIES



### AB1 MICRO SATELLITE SPEAKER MOUNT

Fits most: Small satellite speakers  
Supports up to: 2.5 lbs (1,1 kg)  
Base rotation: 360°  
Pan: 180°  
Tilt: +/- 30°



### AB2 MEDIUM SATELLITE SPEAKER MOUNT


Fits most: Bookshelf speakers  
Supports up to: 8 lbs (3,6 kg)  
Base rotation: 360°  
Pan: 180°  
Tilt: +/- 30°

Injection molded, glass reinforced nylon  
Suitable for all-weather use  
Maximum flexibility  
Mount on wall or ceiling

Includes two extensions that create three different lengths  
Includes complete hardware kit  
5-year warranty  
Available in Black



## OCSBA



OCSBA ROTATES  
FOR MULTIPLE INSTALLATION  
CONFIGURATIONS

Easily attach most sound bars under wall mounted TV  
Works with most brands or styles of TV mount  
Improves audio quality, especially when used with full motion TV mounts  
Attaches to the back of a TV and requires no holes in the wall  
Great for medium and large TVs  
Includes all mounting hardware  
5-year warranty  
Available in Black



### OCSBA UNIVERSAL SOUND BAR MOUNT

Supports up to: 30 lbs (13,6 kg)  
Fits most: 32" or larger TVs

# SPEAKER MOUNTS

## STAINLESS STEEL SERIES

Mount on wall or ceiling  
Polymer-injected ball controls resonance frequencies for better sound  
Stainless steel hardware for strength and durability  
Suitable for all-weather use  
Ball and clamp design for greater mounting flexibility  
Includes clamp and jaw  
Includes complete hardware kit  
5-year warranty  
Available in Black



### 5.0 W/C SATELLITE SPEAKER MOUNT

Fits most: Satellite speakers  
Supports up to: 5 lbs (2,3 kg)  
Tilt: +/- 30°  
Pan: 180°  
Base rotation: 360°



### 10.0 W/C BOOKSHELF SPEAKER MOUNT

Fits most: Bookshelf speakers  
Supports up to: 10 lbs (4,5 kg)  
Tilt: +/- 30°  
Pan: 180°  
Base rotation: 360°



### 15.0 W/C BOOKSHELF SPEAKER MOUNT

Fits most: Bookshelf speakers  
Supports up to: 15 lbs (6,8 kg)  
Tilt: +/- 30°  
Pan: 180°  
Base rotation: 360°



### 25.0 W/C BOOKSHELF SPEAKER MOUNT

Fits most: Bookshelf speakers  
Supports up to: 25 lbs (11,3 kg)  
Tilt: +/- 30°  
Pan: 180°  
Base rotation: 360°

## STAINLESS STEEL SPEAKER MOUNTS OFFER:



### SUPERIOR PRODUCT DESIGN

- Polymer-injected ball controls resonance frequencies for better sound (shown)
- Stainless steel hardware for strength and durability
- Suitable for all-weather use



### HASSLE-FREE INSTALLATION

- Ball and clamp design for greater mounting flexibility (shown)
- Includes complete hardware kit



# OmniMount Essentials

## CABLE MANAGEMENT



**OCM**  
**ON-WALL CABLE MANAGEMENT COVER**  
 Includes: (3) 3.25" x 18" (8,3 x 45,7 cm) channels  
 Fits: up to 6 cables (3 power/3 HDMI)  
 Mounting: wood stud or drywall

- Low profile on-wall cable management
- Install in minutes, anywhere on the wall
- Paint to match your wall color
- Install end-to-end to conceal cables from TV to floorboard
- Easily shorten channels to desired length
- Perforations every 9" (22,9 cm) for custom lengths
- Contemporary shape complements TV design
- Great for concealing cables along a wall in any room: bedroom, office, living room
- Can be mounted on block wall (hardware not included)
- Includes specialty hardware that works in wood studs or drywall
- Organize tangled cables
- Route power and signal separately
- Flat design blends nicely with the wall
- Includes complete hardware kit
- Looks great with AV wall shelves



**OECMS**  
**CABLE MANAGEMENT SLEEVE**  
 Form-fitting neoprene material is flexible and allows for multiple cables  
 Cutouts every 2" (5 cm) provide multiple entry/exit points for cables  
 Black/white sleeve is reversible to fit into any environment

- Modular design allows for any configuration
- Covers can be cut to desired length
- Paint to match any wall
- Mount using screws or double sided adhesive (both included)
- Route wires vertically or horizontally with 90° elbow
- Includes installation template



**OPK2**  
**IN-WALL CABLE ROUTING INTERFACE**  
 One (1) 5' extension cord  
 Two (2) pre-wired outlet boxes  
 Drywall saw

- Great for concealing cables below a wall mounted TV
- Easy snap fit installation
- Includes top and bottom color-coded outlet boxes
- Top outlet box is black to match the TV
- Bottom outlet box is white to match outlet covers
- Boxes mount in drywall (no stud required)
- Power between outlet boxes connects with easy snap fit assembly (no wiring needed)
- Includes extension cord to plug into existing AC outlet
- ETL certified for safety
- Code compliant to install power without an electrician
- Recessed outlet boxes work behind low profile TV mounts
- Great for new or retrofit applications
- No exposed wires!
- Includes drywall saw--no specialty tools required
- No need for electrical certification
- Pre-wired snap fit assembly

## CABLE MANAGEMENT



**CMK**  
**4.3" (11 cm) CABLE MANAGEMENT KIT**  
 Modular design allows for any configuration  
 Covers can be cut to desired length  
 Paint to match any wall  
 Routes wires vertically or horizontally with 90° elbow  
 Includes (3) 16" x 4.3" (40,6 x 10,9 cm) covers, (1) 90° elbow, (2) end caps and installation template




**CMK MINI**  
**2.3" (5,8 cm) CABLE MANAGEMENT KIT**  
 Modular design allows for any configuration  
 Covers can be cut to desired length  
 Paint to match any wall  
 Routes wires vertically or horizontally with 90° elbow  
 Includes (3) 16" x 2.3" (40,6 x 5,8 cm) covers, (1) 90° elbow, (2) end caps and installation template

## SAFETY KIT



**OESK**  
**SAFETY KIT**  
 Includes: 2 cables & hardware kit

- Works with any flat panel TV
- Prevents tipping to protect children and pets
- Ideal for flat panel TVs on furniture within arm's reach or in high-traffic areas
- Works with wood studs or concrete wall
- Steel cables are easily adjustable using tensioning clamp
- Simple to install
- Includes two adjustable length steel cables and complete hardware kit
- 5-year warranty
- Available in Black



More line drawings available on [OmniMount.com](http://OmniMount.com)


# Line Drawings

## Line Drawings

inches (mm)

### TV WALL MOUNTS


#### OMNIELITE SERIES



OE120IW – page 9

OE120IW – page 9

OE80FM – page 10




OE150FM – page 10

OE150T – page 11

OE200F – page 11


#### ACTIONMOUNT SERIES



PLAY20 (TOP VIEW) – page 12

PLAY20 (SIDE VIEW) – page 12

PLAY20X (SIDE VIEW) – page 12



PLAY20 (SIDE VIEW) – page 12

PLAY25 (SIDE VIEW) – page 12


PLAY25X (TOP VIEW) – page 12

# Line Drawings


## TV WALL MOUNTS

inches (mm)


### ACTIONMOUNT SERIES




PLAY40 (SIDE VIEW) – page 13




PLAY40 (TOP VIEW) – page 13



PLAY70 (SIDE VIEW) – page 13




PLAY70 (TOP VIEW) – page 13




PLAY KITS – page 13


### OMNISELECT SERIES




OS50FM (SIDE VIEW) – page 14




OS80FM (SIDE VIEW) – page 14




OS120FM (FRONT VIEW) – page 14




OS120FM (SIDE VIEW) – page 14



OS40TP (FRONT VIEW) – page 15



OS40TP (SIDE VIEW) – page 15




OS50T – page 15


inches (mm)

## TV WALL MOUNTS


### OMNISELECT SERIES




OS120T (FRONT VIEW) – page 15




OS120T (SIDE VIEW) – page 15



OS50F – page 16




OS120F (FRONT VIEW) – page 16




OS120F (SIDE VIEW) – page 16


### OMNICLASSIC SERIES




OC40FM (FRONT VIEW) – page 17




OC40FM (SIDE VIEW) – page 17




OC40FMX – page 17




OC40FMX (SIDE VIEW) – page 17



OC80FM – page 17



OC80FM (SIDE VIEW) – page 17




OC120FM (FRONT VIEW) – page 17

# Line Drawings

## TV WALL MOUNTS

inches (mm)


### OMNICLASSIC SERIES



OC80FM – page 17

OC80FM (SIDE VIEW) – page 17


OC120FM (FRONT VIEW) – page 17



OC120FM (SIDE VIEW) – page 17

OC80T.2 – page 18


OC100T (FRONT VIEW) – page 18



OC100T (SIDE VIEW) – page 18

OC120T – page 18

OC40F – page 19



OC80F.2 – page 19


OC100F – page 19

OC120F – page 19

## TV WALL MOUNTS

inches (mm)


### EZMOUNT SERIES



OMEZF – page 20


## OMNIPRO SERIES

### TV WALL MOUNTS



CI40FML (FRONT VIEW) – page 21


CI40FML (SIDE VIEW) – page 21



CI60FM – page 21

CI100FM – page 21


CI100FM – page 21



CI125FM (FRONT VIEW) – page 21

CI125FM (SIDE VIEW) – page 21

CI80T – page 22



CI120T – page 22

CI175T – page 22


CI80F – page 23

# Line Drawings

inches (mm)

## OMNIPRO SERIES


### TV WALL MOUNTS




CII20F – page 23

CII75F – page 23


### ENCLOSED RACKS & CARTS




RE12W – page 25




RE18 (TOP VIEW) – page 25




RE18 (SIDE VIEW) – page 25




RE27 (SIDE VIEW) – page 26




RE42 (SIDE VIEW) – page 26




RE014U (FRONT VIEW) – page 26




RE014U (TOP VIEW) – page 26



RE2USHELF – page 26



RE5USHELF – page 26




RE2UBLANK – page 26


inches (mm)

## OMNIPRO SERIES


### ENCLOSED RACKS & CARTS



RE2UBLANK – page 26




PROHDCART – page 27




PROHDCART – page 27

### AV WALL SHELVES


#### OWS SERIES



OWS22 (FRONT VIEW) – page 29




OWS22 (SIDEVIEW) – page 29




OWS60 (FRONT VIEW) – page 29


#### BLADE SERIES



OWS60 – page 29



BLADE2 (FRONT VIEW) – page 29




BLADE2 (SIDE VIEW) – page 29

# Line Drawings


## AV WALL SHELVES

inches (mm)

### BLADE SERIES




BLADE1 (FRONT VIEW) – page 30




BLADE1 (SIDE VIEW) – page 30

### MOD1




MOD1 (FRONT VIEW) – page 30




MOD1 (SIDE VIEW) – page 30

### ECS




ECS – page 30


### TRIA



TRIA – page 31



TRIA 2 – page 31




TRIA 1 – page 31


## TV CEILING MOUNTS & PROJECTOR MOUNTS

inches (mm)


### CEILING MOUNTS



DCM250 – page 33




SCM125 – page 34




SCM125 – page 34


### PROJECTOR MOUNTS



PJT40 – page 35




PJT40 – page 35




3N1-PJT – page 35

### ACCESSORIES




NPT12 / NPT18 / NPT24 – page 35




PFC-A – page 35

## SPEAKER STANDS & MOUNTS

### GEMINI SERIES




GEMINI 2 – page 37




GEMINI 1 – page 37

### ELO




ELO – page 38

### AUDIOBASICS SERIES




AB1 – page 38




AB1 – page 38


### OCSBA



OPTION A (BACK) – page 38




OPTION B (BACK) – page 38




OPTION C (BACK) – page 38

## SPEAKER STANDS & MOUNTS


### STAINLESS STEEL MOUNTS




5.0 W/C – page 39



10.0 W/C – page 39



15.0 W/C – page 39



25.0 W/C – page 39

### VESA MOUNT INTERFACES

OMNIMOUNT TV MOUNTS ARE COMPLIANT WITH THE VESA® INTERFACE STANDARD



OmniMount products are engineered in accordance with the Flat Display Mounting Interface (FDMI) Standard, otherwise known as the Mounting Interface Standard (MIS), defined by VESA. When choosing a TV, look for VESA Mounting Compliance for ease of attachment to any OmniMount wall mount, articulating monitor arm or other VESA-compliant mounting solution.

The VESA standard defines dimensions of a TV's four-hole attachment interface and the screws used to fit those holes. It also dictates the placement of the hole pattern on the back of the TV. For attachment to VESA mounts, this invariably means the hole pattern should be centered on a TV's back (denoted in a VESA label with the letter "C" as in VESA FDMI MIS-D, 100, C).



Ergotron - Omnimount • 4409 East Baseline Road, Ste 130 • Phoenix, AZ 85042  
1-800-MOUNT-IT (800-668-6848) • [www.omnimount.com](http://www.omnimount.com)