



# PRODUCT CATALOG



## About OmniMount

For 36 years OmniMount has upheld its position as a global leader in product innovation. From the beginning, OmniMount honed its skills as a pioneer in the field of audio mounts and, as the once separated worlds of hi-fi and video fused into home theater, continued to build on its strong foundation and heritage with a complete portfolio of mounting solutions. The OmniMount product line has grown to include flat panel TV mounts, AV wall shelves, ceiling and projector mounts, professional AV racks and carts, speaker mounts and stands, and a line of specialty AV accessory products that maximize the home theater experience. OmniMount's talented team of in-house industrial designers and engineers is recognized throughout the consumer electronics industry for producing innovative and reliable products, and is regularly honored with industry awards for groundbreaking design, precise attention to detail, superior quality and long-term reliability. In 2012, OmniMount joined Ergotron, Inc., a leader in display mounting, furniture and mobility solutions. The OmniMount sales headquarters is located in Phoenix, Arizona, with global headquarters in St. Paul, Minnesota and overseas in Amersfoort, Netherlands.



### Lifestyle innovations for home and work

OmniMount, a division of Ergotron, Inc., is a member of the Nortek family. Like other Nortek companies, OmniMount is driven by constant innovation with a singular, unified purpose: to make our customers' lives better. All Nortek brands are conceived of out-of-the-box thinking, fueled by cutting-edge technology and ignited by a robust management philosophy that promotes operational excellence. From product design to performance and support, every Nortek product group sets a new standard and improves how our global customers live and work.

Learn more at [www.nortek-inc.com](http://www.nortek-inc.com)



## Table of Contents

|                                   |    |
|-----------------------------------|----|
| Why OmniMount                     | 4  |
| TV Wall Mounts                    | 8  |
| OmniElite Series                  | 9  |
| ActionMount Series                | 11 |
| OmniSelect Series                 | 14 |
| OmniClassic Series                | 17 |
| EZMount Series                    | 21 |
| OmniPro Series                    | 22 |
| WorkFit Computer Mounts           | 24 |
| iPad® Mounts                      | 26 |
| AV Wall Shelves                   | 28 |
| Ceiling Mounts & Projector Mounts | 30 |
| Rack Systems & Carts              | 36 |
| Speaker Stands & Mounts           | 40 |
| OmniMount Essentials              | 44 |
| Line Drawings                     | 46 |

# Why OmniMount

It's our mission to develop solid relationships by providing high-quality products, valuable marketing tools and excellent customer service. Established in 1978, OmniMount products have defined home cinema and are trusted by the most demanding tech enthusiasts. With more than 36 years of experience, we understand the industry better than anyone and are dedicated to listening and delivering.



24/7

## WORLD-CLASS PACKAGING & IN-STORE DISPLAYS

Whether displaying product at retail or in a showroom, OmniMount's clearly marked color coding and compatibility specs make it easy to quickly and confidently find the right solution.

## AWARD-WINNING PRODUCTS & INNOVATION

OmniMount strives to produce the highest quality mounts on the market, as well as constantly pushing the limits of innovation. The result is a collection of products that has been recognized by the consumer electronics industry and regularly honored with distinguished industry awards.



## CUSTOMER CARE

OmniMount provides 24/7 phone support in the US and world-class coverage across the globe.

"I have to write and thank you for the absolutely best customer service ..."  
~ Heinrich S, customer

"I could not be happier. I did not think this kind of service existed anymore ..."  
~ David K, customer

## OMNIMOUNT.COM

The OmniMount website makes it easy to find in-depth product information, including installation manuals and product specifications sheets, recent news coverage and press releases, and general updates via the OmniMount blog. It also boasts live chat customer service. Multiple languages are available by selecting country/region from the pull-down menu in the upper right. It's also compatible with mobile devices, making it easily accessible while on the go.




## OMNIMOUNT FINDER

Recognizing that product compatibility is paramount to you and your customers, we've updated our OmniMount Finder. It's easy to search by TV brand and model number and get reliable results.




## QUALITY INSTALLATION VIDEOS

Created for nearly every product OmniMount sells, the in-depth step-by-step installation videos instill confidence in novice installers and offer up tips and tricks for more seasoned pros.




OmniMount is an active user of Twitter and Facebook, and regularly interacts with customers via social channels.



## DEALER RESOURCE CENTER

Our goal is to make doing business easy and mutually beneficial. The OmniMount dealer resource center provides quick access to product images, logos, literature and sales collateral.



## EMAIL NEWSLETTERS

We're refining our communications process to better serve you with information relevant to your business and the industry events that you attend. Join the OmniMount Newsletter list via the website signup form.



1



Attach rails to TV

2



Install mount on wall

3



Hang TV on mount

We strive to make every out-of-box experience simple and intuitive, using just a few tools.



SAFE & CERTIFIED

Our products undergo a testing regimen that is establishing the benchmark and exceeding the industry's most rigid certifications. OmniMount strives to provide the highest levels of trouble-free product performance and longevity, delivering peace of mind to customers.

Every product is tested to UL2442 standards, the most advanced standards created by UL



### TRUTH IN MOUNTING

To ensure truth in mounting, OmniMount products go through a rigorous testing process in a facility dedicated to the manufacture and distribution of OmniMount products. Cycle testing is done on every moving feature, not just full motion, for guaranteed performance.

The OmniMount facility performs 100% end-of-line testing, life-cycle testing, and a host of other in-process tests, ensuring the highest quality products.

- Up to 7,500-cycle test applied to height-adjustable mechanisms, ensuring years of trouble-free height adjustment
- All product functions are endurance tested to expected life of the product
- 100% functional test for every product
- Cycle testing performed on sample basis per product reliability criteria
- Load Testing: 4x load test (meets or exceeds UL requirements) ensures product safety for the rigors of public use




## Choosing the right mount

For years there were three types of TV wall mounts: Fixed, Tilt and Full Motion. OmniMount is responsible for launching a fourth category: Interactive. OmniMount's interactive mounts are designed with patented Constant Force™ technology and move TVs like no other mounts on the market. Let our innovation set you apart from the pack.

### FIXED

#### LOWEST PROFILE


Very low profile mounts for dedicated viewing areas



### TILT

#### REDUCES GLARE

Tilt your TV down to avoid screen glare or achieve a better viewing angle



### FULL MOTION

#### FLEXIBILITY

Pull your TV away from the wall and tilt, pan or swivel for multi-room viewing



### INTERACTIVE

#### MAXIMUM MOVEMENT

Height adjustment and full motion functionality featuring patented Constant Force™ technology



# TV Wall Mounts

## NEW! OMNIELITE SERIES

The OmniElite series is a flagship line of mounts for larger, lighter TVs. Whether looking for a fixed, tilt or full motion mount, the OmniElite series will provide a solution with all the bells and whistles for a truly superior installation.

### FULL MOTION

- Full motion with left and right pan (great for rooms with multiple viewing areas)
- Low profile design
- Cast aluminum arms for superior strength
- Highly stylized to complement HD and Ultra HD panels
- Unique joint design offers easy, smooth movement of the TV
- UL 2442 rated and tested to 6,000 cycles
- Special channel routes cables from TV to wall, concealing wires
- Lift n' Lock™ makes installation a three-step process
- TV tilts forward to reduce screen glare (great for rooms with windows)
- Installer-friendly mounting template
- 5-year warranty
- Available in Black



#### OE80FM

##### MEDIUM FULL MOTION MOUNT


- Fits most: 32-52" (82-132 cm) TVs
- Supports up to: 80 lbs (36.3 kg)
- Mounting profile: 2.5" (6.4 cm)
- Maximum extension: 19.5" (49.5 cm)
- Universal & VESA compliant: 200x100 to 600x400
- Tilt: 0 to +10°
- Post installation leveling: Yes
- Mounting: Single-stud or solid wall



#### OE150FM

##### LARGE FULL MOTION MOUNT

- Fits most: 47-80" (119-203 cm) TVs
- Supports up to: 150 lbs (68 kg)
- Mounting profile: 2.6" (6.6 cm)
- Maximum extension: 16.7" (42.4 cm)
- Universal & VESA compliant: 200x100 to 800x400
- Tilt: 0 to +10°
- Post installation leveling: Yes
- Mounting: Double-stud or solid wall



DESIGNED WITH PATENTED GRAVITY TILT AND PRECISE TOLERANCES TO MAKE ADJUSTING A TV EASY AND RELIABLE

# NEW! OMNIELITE SERIES

## TILT



### OE80T MEDIUM TILT MOUNT

Fits most: 27-47" (69-119 cm) TVs  
Supports up to: 80 lbs (36.3 kg)  
Mounting profile: 1.5" (3.8 cm)  
Universal & VESA compliant: 200x200 to 400x400  
Tilt: up to +10°  
Mounting: Double-stud or solid wall



### OE150T LARGE TILT MOUNT

Fits most: 47-80" (119-203 cm) TVs  
Supports up to: 150 lbs (68 kg)  
Mounting profile: 1.4" (3.5 cm)  
Universal & VESA compliant: 200x200 to 600x600  
Tilt: up to +10°  
Mounting: 16" or 24" double-stud; solid wall

Low profile design  
TV tilts forward to reduce screen glare (great for rooms with windows)  
Highly stylized to complement HD and Ultra HD panels  
UL 2442 rated for guaranteed safety  
Lift n' Lock makes installation a three-step process  
Installer-friendly mounting template  
Kickstand holds TV for easy wiring  
Post installation leveling  
5-year warranty  
Available in Black



## FIXED



### OE80F MEDIUM FIXED MOUNT

Fits most: 37-52" (94-132 cm) TVs  
Supports up to: 80 lbs (36.3 kg)  
Mounting profile: 0.7" (1.8 cm)  
Universal & VESA compliant: 200x200 to 400x400  
Mounting: Double-stud or solid wall



### OE200F LARGE FIXED MOUNT

Fits most: 52-90" (132-228 cm) TVs  
Supports up to: 200 lbs (90 kg)  
Mounting profile: 0.7" (1.8 cm)  
Universal & VESA compliant: 400x400 to 600x400  
Mounting: 16" or 24" double-stud; solid wall

Low profile design  
Fixed position ideal for dedicated viewing areas  
Highly stylized to complement HD and Ultra HD panels  
UL 2442 rated for guaranteed safety  
Lift n' Lock makes installation a three-step process  
Installer-friendly mounting template  
Post installation leveling  
5-year warranty  
Available in Black



### GROUP VIEWING

Hosting a party for the big game has never been easier! Pull the TV away from the wall and raise it to a higher position for great viewing angles.



### GAMING

Push the TV close to the wall for more room to play, or pull it out and drop it low to get into the action.



### FITNESS

Bring the TV low for exercise on the floor, like yoga, or collapse it against the wall for the most room to kick, punch and stretch.

Revolutionary design allows you to interact with your TV when watching movies, gaming, exercising and more  
Offers smooth, continuous movement of the TV in all directions  
Patented Constant Force™ technology enables light-touch adjustments without knobs or levers  
Enhance picture and 3D viewing with the right screen angle  
Improves ergonomic viewing for TVs mounted high on the wall  
Tilt, pan and swivel for maximum viewing flexibility  
Screen can be rotated for portrait or landscape viewing  
Cable management clips route wires  
Includes complete hardware kit  
Single-stud or solid wall mounting  
5-year warranty  
Available in Polished aluminum



## ACTIONMOUNT SERIES

Sit. Stand. Stretch. Play – all at the perfect angle. The ActionMount Series by OmniMount takes interactivity with your TV to the next level.

## PLAY



### PLAY20 INTERACTIVE TV MOUNT

Fits most: 19-32" (49-81 cm) TVs/displays  
Supports: 7-20 lbs (3.2-9.1 kg)  
Mounting profile: 3.9" (10 cm)  
Maximum extension: 16.6" (42 cm)  
Horizontal movement: 30" (76 cm)  
Vertical adjustment: 13" (33 cm)  
Tilt: +5° to -70° / Pan: 180° / Rotation: 180°  
VESA compliant: 75x75 to 200x200



### PLAY20X INTERACTIVE TV MOUNT

Fits most: 19-32" (49-81 cm) TVs/displays  
Supports: 7-20 lbs (3.2-9.1 kg)  
Mounting profile: 3.9" (10 cm)  
Maximum extension: 25.6" (65 cm)  
Horizontal movement: 48" (122 cm)  
Vertical adjustment: 13" (33 cm)  
Tilt: +5° to -70° / Pan: 180° / Rotation: 180°  
VESA compliant: 75x75 to 200x200



### PLAY25 INTERACTIVE TV MOUNT

Fits most: 19-37" (49-94 cm) TVs/displays  
Supports: 7-25 lbs (3.2-11.4 kg)  
Tilt: +5° to -70°  
Vertical adjustment: 20" (51 cm)  
Mounting profile: 4.4" (11.2 cm)  
Maximum extension: 21.4" (54 cm)  
Rotation: 360° with 0° lockout  
VESA compliant: 75x75 to 200x200



### PLAY25X INTERACTIVE TV MOUNT

Fits most: 19-37" (49-94 cm) TVs/displays  
Supports: 7-25 lbs (3.2-11.4 kg)  
Tilt: +5° to -70°  
Vertical adjustment: 20" (51 cm)  
Mounting profile: 4.4" (11.2 cm)  
Maximum extension: 33.5" (85 cm)  
Rotation: 360° with 0° lockout  
VESA compliant: 75x75 to 200x200

# ACTIONMOUNT SERIES

## PLAY



### PLAY40 INTERACTIVE TV MOUNT

Fits most: 30-55" (76-140 cm) TVs/displays  
Supports: 18-40 lbs (8.2-18.2 kg)  
Tilt: +10° to -15°  
Pan: 180°  
Mounting profile: 5.5" (14 cm)  
Maximum extension: 24" (61 cm)  
Horizontal movement: 20" (51 cm)  
Vertical adjustment: 20" (51 cm)  
Post-installation leveling: +/-5°  
VESA compliant: 200x100 to 600x400  
Mounting: Single-stud or solid wall  
Available in Polished aluminum



### PLAY40DS INTERACTIVE TV MOUNT

Fits most: 30-55" (76-140 cm) TVs/displays  
Supports: 18-40 lbs (8.2-18.2 kg)  
Tilt: +10° to -15°  
Pan: 180°  
Mounting profile: 5.5" (14 cm)  
Maximum extension: 24" (61 cm)  
Horizontal movement: 42" (107 cm)  
Vertical adjustment: 20" (51 cm)  
Post-installation leveling: +/-5°  
VESA compliant: 200x100 to 600x400  
Mounting: Double-stud or solid wall  
Available in Black



### PLAY70 INTERACTIVE TV MOUNT

Fits most: 40-60" (101-152 cm) TVs/displays  
Supports: 35-70 lbs (15.9-31.8 kg)  
Tilt: +15° to -10°  
Pan: 180°  
Mounting profile: 6.5" (16.5 cm)  
Maximum extension: 28" (71 cm)  
Horizontal movement: 21.1" (53.5 cm)  
Vertical adjustment: 20" (51 cm)  
VESA compliant: 200x100 to 600x400  
Mounting: Single-stud or solid wall  
Available in Polished aluminum




### PLAY70DS INTERACTIVE TV MOUNT

Fits most: 30-60" (76-152 cm) TVs/displays  
Supports: 35-70 lbs (15.9-31.8 kg)  
Tilt: +15° to -10°  
Pan: 180°  
Mounting profile: 6.5" (16.5 cm)  
Maximum extension: 28" (71 cm)  
Horizontal movement: 21.1" (53.5 cm)  
Vertical adjustment: 20" (51 cm)  
VESA compliant: 200x100 to 600x400  
Mounting: Double-stud or solid wall  
Available in Black



The PLAY products are equipped with patented Constant Force™ technology providing fluid, light-touch adjustments for effortless arm movement.

THE LIFT IS THE FIRST LOW PROFILE WALL MOUNT TO OFFER SMOOTH LIFT/LOWER MOVEMENT OF A TV. USERS CAN ADJUST THEIR TV FOR ANY ACTIVITY, POSITIONING IT FOR BEST PICTURE AND COMFORT WHILE WATCHING MOVIES, GAMING, EXERCISING OR OPTIMIZING 3D. THE LIFT IS EQUIPPED WITH PATENTED CONSTANT FORCE™ TECHNOLOGY, PROVIDING FLUID, LIGHT-TOUCH ADJUSTMENTS FOR EFFORTLESS LIFTING AND LOWERING OF A TV.



Lift and lower your TV to achieve the best picture and sound  
Move with only a light touch; no knobs or levers required  
Ideal for multipurpose rooms and TV activities  
Post-installation leveling  
Lift n' Lock makes installation a three-step process  
Includes complete hardware kit for easy installation  
5-year warranty  
Available in Black



### SEE IT IN ACTION

Scan the code below or visit [omnimount.com/127](http://omnimount.com/127) to see how the LIFT50 and LIFT70 work.



# ACTIONMOUNT SERIES

## LIFT



### LIFT30 INTERACTIVE TV MOUNT

Fits most: 27-42" (69-107 cm) TVs/displays  
Supports up to: 12-30 lbs (5.4-13.6 kg)  
Mounting profile: 2.7" (6.9 cm)  
VESA compliant: 100x100 to 400x400  
Vertical adjustment: 10" (25.4 cm) of travel  
Mounting: Single wood stud or solid wall



### LIFT30X INTERACTIVE TV MOUNT

Fits most: 27-42" (69-107 cm) TVs/displays  
Supports up to: 12-30 lbs (5.4-13.6 kg)  
Mounting profile: 4.3" (10.9 cm)  
Maximum extension: 10.8" (27.3 cm)  
VESA compliant: 100x100 to 400x400  
Tilt: 0° to 10°  
Horizontal movement: 13" (33 cm)  
Vertical adjustment: 10" (25.4 cm) of travel  
Mounting: Single wood stud or solid wall



### LIFT50 INTERACTIVE TV MOUNT

Fits most: 40-50" (102-127 cm) TVs/displays  
Supports up to: 30-50 lbs (13.6-22.7 kg)  
Vertical adjustment: 16" (40.6 cm)  
Tilt: up to 10°  
Mounting profile: 2.7" (6.9 cm)  
VESA compliant: 200x200 to 400x400  
Mounting: Single-stud and drywall or solid wall



### LIFT70 INTERACTIVE TV MOUNT

Fits most: 46-65" (117-165 cm) TVs/displays  
Supports up to: 45-70 lbs (20.4-31.8 kg)  
Vertical adjustment: 16" (40.6 cm)  
Tilt: up to 10°  
Mounting profile: 2.7" (6.9 cm)  
VESA compliant: 200x200 to 400x400  
Mounting: Single-stud and drywall or solid wall

# OMNISELECT SERIES

The OmniSelect Series is designed to make repositioning a TV smooth and easy while ensuring that it stays in the desired place. Quality craftsmanship ensures a lifetime of dependable performance.



DESIGNED WITH PATENTED GRAVITY TILT AND PRECISE TOLERANCES TO MAKE ADJUSTING A TV EASY AND RELIABLE

## FULL MOTION



**OS50FM**  
SMALL FULL MOTION MOUNT

Fits most: 13-37" (33-94 cm) TVs  
Supports up to: 50 lbs (22.7 kg)  
Tilt: +10° to -1°  
Mounting profile: 2.3" (5.7 cm)\*  
Extension from wall: 11.4" (28.9 cm)\*  
VESA compliant: 75x75 to 200x200  
Post installation leveling: +/-3°  
Mounting: Single-stud or solid wall  
\*adapters add 0.3" (8 mm)



**OS80FM**  
MEDIUM FULL MOTION MOUNT


Fits most: 32-50" (82-127 cm) TVs  
Supports up to: 80 lbs (36.3 kg)  
Tilt: +10° to -3°  
Mounting profile: 2.8" (7 cm)\*  
Extension from wall: 14.6" (37 cm)\*  
VESA compliant: 100x100 to 400x400  
Post installation leveling: +/-3°  
Mounting: Single-stud or solid wall  
\*adapters add 0.1" (5 mm)



**OS120FM**  
LARGE FULL MOTION MOUNT

Fits most: 42-70" (107-178 cm) TVs  
Supports up to: 120 lbs (54.4 kg)  
Tilt: +10° to -3°  
Mounting profile: 3.0" (7.6 cm)\*  
Extension from wall: 16.5" (42 cm)\*  
VESA compliant: 100x100 to 600x400  
Post installation leveling: +/-3°  
Mounting: Single-stud, Double-stud or solid wall  
Wall plate offers lateral adjustment to center TV  
\*adapters add 0.1" (5 mm)

- Low profile design nests TV close to the wall
- Tilts to reduce screen glare
- Pans left and right between rooms or seating areas
- Fluidly repositions TV and holds in desired position
- Lift n' Lock enables easy three-step installation
- Special channel routes cables from TV to wall
- Leveling feature for fine-tune adjustments
- Die-cast arm for strength and style
- Includes complete hardware kit
- 5-year warranty
- Available in Black



# OMNISELECT SERIES

## TILT




**OS40TP**  
SMALL TILTING MOUNT

Fits most: 13-37" (33-94 cm) TVs  
Supports up to: 40 lbs (18.1 kg)  
Tilt: +10° to -3°  
Pan: 25°  
Mounting profile: 3.0" (7.6 cm)\*  
VESA compliant: 75x75 to 200x200  
Mounting: Single-stud or solid wall  
Offers 25° of pan for side-to-side movement to find the perfect viewing angle  
Offers 6° of post-installation leveling of the mount  
\*adapters add 0.3" (6 mm)



**OS50T**  
SMALL TILTING MOUNT

Fits most: 13-37" (33-94 cm) TVs  
Supports up to: 50 lbs (22.7 kg)  
Tilt: Up to +18°  
Mounting profile: 2.1" (5.2 cm)\*  
VESA compliant: 75x75 to 200x200  
Mounting: Single-stud or solid wall  
Low 2.1" (52 mm) mounting profile  
\*adapters add 0.2" (6 mm)



- Equipped with patented gravity tilt, providing perfect tension no matter where you place your TV
- Lift n' Lock allows you to easily attach your TV to the mount
- Adequate spacing between TV and wall allows for cooling
- Provides ample room for cables and wires between TV and wall
- Durable powder coat finish
- Simple to install and use
- Ships fully assembled
- Includes adapters for greater VESA compatibility
- Includes complete hardware kit
- 5-year warranty
- Available in Black



**OS80T**  
MEDIUM TILTING MOUNT

Fits most: 37-55" (94-140 cm) TVs  
Supports up to: 80 lbs (36.3 kg)  
Tilt: Up to 10°  
Mounting profile: 2.1" (5.4 cm)  
Universal & VESA compliant: 100x100 to 400x400  
Mounting: Double-stud or solid wall



**OS120T**  
LARGE TILTING MOUNT

Fits most: 37-70" (94-178 cm) TVs  
Supports up to: 120 lbs (54.4 kg)  
Tilt: Up to 10°  
Mounting profile: 2.1" (5.4 cm)  
Universal & VESA compliant: 100x100 to 600x400  
Mounting: 16" or 24" double-stud; solid wall  
Endcaps present a clean sideview

- Low 2.1" (54 mm) mounting profile
- Tilt up to 10° to reduce glare
- Equipped with patented gravity tilt, providing perfect tension no matter where you place your TV
- Lift n' Lock enables easy three-step installation
- Offers adequate spacing between TV and wall for cooling and cable management
- Sliding lateral on-wall adjustment
- Safety latches prevent TV from sliding off mount
- Single wall plate allows for quick and simple installation
- Durable powder coat finish
- Includes complete hardware kit
- 5-year warranty
- Available in Black



# OMNISELECT SERIES

## FIXED



### OS50F

#### SMALL FIXED MOUNT

Fits most: 13-37" (33-94 cm) TVs  
Supports up to: 50 lbs (22.7 kg)  
Mounting profile: 1.1" (2.8 cm)\*  
VESA compliant: 75x75 to 200x200  
Mounting: Single-stud or solid wall  
Low 1.1" (2.8 cm) mounting profile  
Includes adapters for greater VESA compatibility  
Ships fully assembled

\*adapters add 0.2" (6 mm)



### OS120F

#### LARGE FIXED MOUNT

Fits most: 37-70" (94-178 cm) TVs  
Supports up to: 120 lbs (54.4 kg)  
Mounting profile: 1.6" (4.1 cm)  
VESA compliant: 100x100 to 600x400  
Mounting: 16" or 24" double-stud; solid wall  
Low 1.6" (4.1 cm) mounting profile  
Sliding lateral on-wall adjustment  
Endcaps present a clean sideview  
Safety locks prevent TV from sliding off mount  
Single wall plate allows for quick and simple installation


Low profile design  
Lift n' Lock allows you to easily attach your TV to the mount  
Allows for simple leveling adjustments post-installation  
Offers adequate spacing between TV and wall for cooling and cable management  
Durable powder coat finish  
Simple to install and use  
Includes complete hardware kit  
5-year warranty  
Available in Black



### OS80F

#### MEDIUM FIXED MOUNT

Fits most: 37-55" (94-140 cm) TVs  
Supports up to: 80 lbs (36.3 kg)  
Mounting profile: 1.7" (4.2 cm)  
Universal & VESA compliant: 100x100 to 400x400  
Mounting: Double-stud or solid wall  
Low 1.7" (4.2 cm) mounting profile  
Sliding lateral on-wall adjustment  
Endcaps present a clean sideview  
Safety latches prevent TV from sliding off mount  
Single wall plate allows for quick and simple installation



# OMNICLASSIC SERIES

The OmniClassic Series provides a complete range of full motion, tilt and fixed mounting solutions for basic installations. Each mount is designed with simplicity and reliability.

## FULL MOTION

Tilt, pan and swivel for maximum viewing flexibility  
Integrated cable management  
Tilt forward or back to reduce glare or for overhead installations  
Pan display left or right to view from multiple rooms or seating areas  
Included adapters fit a wide range of VESA patterns  
Lift n' Lock enables easy three-step installation  
Includes complete hardware kit  
5-year warranty  
Available in Black



### OC40FM

#### SMALL FULL MOTION MOUNT

Fits most: 13-37" (33-94 cm) TVs  
Supports up to: 40 lbs (18.1 kg)  
Tilt: +15° to -5°  
Pan: up to 180°  
Mounting profile: 3.2" (8.2 cm)\*  
Maximum extension: 9.5" (24 cm)\*  
VESA compliant: 75x75 to 200x200  
Mounting: Single-stud or solid wall  
Safety screw secures TV to mount  
\*adapters add 0.2" (6 mm)



### OC40FMX

#### SMALL FULL MOTION MOUNT

Fits most: 13-37" (33-94 cm) TVs  
Supports up to: 40 lbs (18.1 kg)  
Tilt: +15° to -5°  
Pan: +90° to -90°  
Mounting profile: 3" (7.6 cm)\*  
Maximum extension: 13.7" (35 cm)\*  
VESA compliant: 75x75 to 200x200  
Mounting: Single-stud or solid wall  
\*adapters add 0.2" (6 mm)



# OMNICLASSIC SERIES

## FULL MOTION

- Tilt, pan and swivel for maximum viewing flexibility
- Integrated cable management
- Tilt forward or back to reduce glare or for overhead installations
- Pan display left or right to view from multiple rooms or seating areas
- Included adapters fit a wide range of VESA patterns
- Lift n' Lock enables easy three-step installation
- Includes complete hardware kit
- 5-year warranty
- Available in Black



**OC80FM**  
**MEDIUM FULL MOTION MOUNT**  
 Fits most: 37-63" (94-160 cm) TVs  
 Supports up to: 80 lbs (36.3 kg)  
 Tilt: +15° to -5°  
 Pan: Up to 180°  
 Mounting profile: 3.2" (8.2 cm)\*  
 Maximum extension: 14" (35.7 cm)\*  
 VESA compliant: 200x200 to 600x400  
 Mounting: Single-stud or solid wall  
 Low 3.2" (8.2 cm) mounting profile  
 \*adapters add 0.2" (6 mm)



**OC120FM**  
**LARGE FULL MOTION MOUNT**  
 Fits most: 43-70" (109-178 cm) TVs  
 Supports up to: 120 lbs (54.4 kg)  
 Tilt: +15° to -1°  
 Mounting profile: 3.8" (9.7 cm)\*  
 Maximum extension: 19" (48.3 cm)\*  
 VESA compliance: 200x200 to 600x400  
 Mounting: Double-stud or solid wall  
 2.9" (7.4 cm) of lateral adjustment makes TV centering possible  
 Open frame provides ample room for power and AV cutouts behind TV  
 \*adapters add 0.17" (4 mm)

## TILT



**OC80T**  
**MEDIUM TILTING MOUNT**  
 Fits most: 23-42" (58-107 cm) TVs  
 Supports up to: 80 lbs (36.3 kg)  
 Tilt: +15° to -5°  
 Mounting profile: 2.3" (5.8 cm)  
 Universal & VESA compliant: 100x100 to 400x300  
 Mounting: Double-stud or solid wall  
 Open frame provides ample room for power and AV cutouts behind TV



**OC100T**  
**MEDIUM TILTING MOUNT**  
 Fits most: 23-42" (58-107 cm) TVs  
 Supports up to: 100 lbs (45.4 kg)  
 Mounting profile: 1.7" (4.3 cm)  
 Universal & VESA compliant: 100x100 to 400x300  
 Tilt: 0° / +5° / +10°  
 Mounting: Double-stud or solid wall  
 Pinned tilt offers uniformity for panels mounted side-by-side  
 Ideal for TVs with bottom or side-loading connectors  
 Horizontal wall plate requires only two holes for quick installation  
 Wall plate has integrated level  
 Small footprint provides ample room for power and AV cutouts behind TV

- Low profile offers sufficient room for cable connections and cooling while keeping TV close to the wall
- Tilt TV forward to reduce glare or for overhead installations
- Lift n' Lock feature offers easy, three-step installation
- Vertical rails fit VESA and non-VESA TVs and slide on wall plate for minor left/right repositioning
- Locking bar secures TV to mount
- Includes complete hardware kit
- 5-year warranty
- Available in Black



# OMNICLASSIC SERIES

## TILT




**OC150T**  
**LARGE TILTING MOUNT**  
 Fits most: 37-80" (94-203 cm) TVs  
 Supports up to: 150 lbs (68 kg)  
 Mounting profile: 1.7" (4.3 cm)  
 Universal & VESA compliant: 200x200 to 600x400  
 Tilt: 0° / +5° / +10°  
 Mounting: 16" or 24" double-stud; solid wall  
 Open frame provides ample room for power and AV cutouts behind TV



**OC175T**  
**LARGE TILTING MOUNT**  
 Fits most: 37-80" (94-203 cm) TVs  
 Supports up to: 175 lbs (79.4 kg)  
 Mounting profile: 2.7" (6.9 cm)  
 Universal & VESA compliant: 100x100 to 600x400  
 Tilt: Up to +15°  
 Mounting: 16" or 24" double-stud; solid wall  
 Pinned tilt offers uniformity for panels mounted side-by-side  
 Ideal for TVs with bottom or side-loading connectors  
 Horizontal wall plate requires only two holes for quick installation  
 Wall plate has integrated level  
 Small footprint provides ample room for power and AV cutouts behind TV

- Low profile offers sufficient room for cable connections and cooling while keeping TV close to the wall
- Tilt TV forward to reduce glare or for overhead installations
- Lift n' Lock feature offers easy, three-step installation
- Vertical rails fit VESA and non-VESA TVs and slide on wall plate for minor left/right repositioning
- Locking bar secures TV to mount
- Includes complete hardware kit
- 5-year warranty
- Available in Black



# OMNICLASSIC SERIES

## FIXED



### OC40F

#### SMALL FIXED MOUNT

Fits most: 13-37" (33-94 cm) TVs  
 Supports up to: 40 lbs (18.1 kg)  
 Mounting profile: 0.5" (1.3 cm)\*  
 VESA compliant: 75x75 to 200x200  
 Mounting: Single-stud or solid wall  
 \*adapters add 0.2" (6 mm)

Lift n' Lock makes installation a three-step process  
 Safety screw secures TV to mount  
 Adapters for VESA compatibility up to 200x200 included  
 Includes complete hardware kit  
 5-year warranty  
 Available in Black



Low profile offers sufficient room for cable connections and cooling while keeping TV close to the wall

Lift n' Lock feature offers easy, three-step installation

Vertical rails fit VESA and non-VESA TVs and slide on wall plate for minor left/right repositioning

Locking bar secures TV to mount

Includes complete hardware kit

5-year warranty

Available in Black



### OC80F

#### MEDIUM FIXED MOUNT

Fits most: 23-42" (58-107 cm) TVs  
 Supports up to: 80 lbs (36.3 kg)  
 Mounting profile: 1.6" (4.1 cm)  
 Universal & VESA compliant: 100x100 to 400x300  
 Mounting: Double-stud or solid wall  
 Open frame provides ample room for power and AV cutouts behind TV



### OC100F

#### MEDIUM FIXED MOUNT

Fits most: 23-42" (58-107 cm) TVs  
 Supports up to: 100 lbs (45.4 kg)  
 Mounting profile: 1.3" (3.3 cm)  
 Universal & VESA compliant: 100x100 to 400x300  
 Mounting: Double-stud or solid wall  
 Ideal for TVs with bottom or side-loading connectors  
 Horizontal wall plate requires only two holes for quick installation  
 Wall plate has integrated level  
 Small footprint provides ample room for power and AV cutouts behind TV



### OC150F

#### LARGE FIXED MOUNT

Fits most: 37-80" (94-203 cm) TVs  
 Supports up to: 150 lbs (68 kg)  
 Mounting profile: 1.3" (3.3 cm)  
 Universal & VESA compliant: 200x200 to 600x400  
 Mounting: 16" or 24" double-stud; solid wall  
 Ideal for TVs with bottom or side-loading connectors  
 Horizontal wall plate requires only two holes for quick installation  
 Wall plate has integrated level  
 Small footprint provides ample room for power and AV cutouts behind TV




### OC175F

#### LARGE FIXED MOUNT

Fits most: 37-90" (94-229 cm) TVs  
 Supports up to: 175 lbs (79.4 kg)  
 Mounting profile: 1.7" (4.4 cm)  
 Universal & VESA compliant: 100x100 to 600x400  
 Mounting: 16" or 24" double-stud; solid wall  
 Open frame provides ample room for power and AV cutouts behind TV

# EZmount



## 1 Attach



## 2 Mount



## 3 Hang



THE SIMPLE, SLEEK DESIGN  
 LOOKS GREAT AND INSTALLS IN  
 UNDER 10 MINUTES

# EZMOUNT SERIES

The EZMount is the world's easiest, strongest, most discreet way to hang a flat panel TV. It's truly a revolutionary mounting system designed for do-it-yourselfers looking to hang a TV anywhere - with or without studs. It mounts in three easy steps, offers an impressively low mounting profile and comes with just about everything you need to mount it right in the box.



### OMF

#### SMALL FIXED MOUNT

Fits most: 13-46" (33-117 cm) TVs  
 Supports up to: 40 lbs (18.1 kg) in drywall and 80 lbs (36.3 kg) in a single stud or concrete  
 Mounting profile: 1" (2.5 cm)  
 Universal & VESA compliant: 100x100 to 400x400  
 Mounting: Drywall, single-stud or solid wall



### OMH

#### MEDIUM FIXED MOUNT

Fits most: 32-60" (81-152 cm) TVs  
 Supports up to: 80 lbs (36.3 kg)  
 Mounting profile: 1.3" (3.3 cm)  
 VESA compliant: Universal & 200-600 mm wide  
 Leveling: +/- 5°  
 Mounting: Single-stud or solid wall

Revolutionary design allows you to interact with your lightweight TV and is perfect for kitchen, dorm, bathroom and home office activities

Mount your TV with total ease and confidence anywhere - no studs required

Precut installation template with mounting holes for simple and accurate mounting

Lift n' Lock allows you to easily attach your TV to the mount

Installs in just minutes with included drill bit, level and installation template

Wall brackets rotate 90° to lock TV in place

Includes complete hardware kit

5-year warranty

Available in Black



Designed to install in under 10 minutes

Sleek look complements modern TVs

Low profile for floating effect

Lift n' Lock feature offers easy, three-step installation

Foam wedge holds TV away from wall for one-person wiring

Locking mechanism prevents accidental TV removal

Requires only two mounting holes

Includes complete hardware kit

5-year warranty

Available in Polished aluminum



# OMNIPRO SERIES

The OmniPro series gives pro installers a handful of high end products that easily meet the requirements of most installations – no need to explore a myriad of options or place special orders. These products can be easily carried around in a truck and installed whenever the need arises.

## FULL MOTION

Arms completely nest for a discreet 3.4" (8.5 cm)\* mounting profile  
Tilt, pan and swivel for maximum viewing flexibility

Steel tube double-arm construction for maximum strength and durability

Includes universal adapter for greater VESA compatibility

Rack-and-pinion tilt mechanism for effortless adjustment

Integrated cable management with quick-snap covers guide wires

Built-in screen leveling

Lift n' Lock for quick installation

Sliding on-wall adjustment (6" lateral, 2" vertical)

Wide wall plate design for 16", 24" or 600 mm studs

Safety screw secures TV to mount

Wall plate covers conceal mounting hardware

Includes installation template for simple and accurate mounting

5-year warranty

Available in Black



### CI25OFM EXTRA LARGE FULL MOTION MOUNT

Fits most: 42-90" (107-229 cm) TVs  
Supports up to: 250 lbs (113.4 kg)  
Tilt: +15° to -5°  
Mounting profile: 3.4" (8.5 cm)\*  
Maximum extension: 25.1" (63.7 cm)\*  
Universal & VESA compliant: 200x100 to 900x500  
Mounting: Double-stud or solid wall

\*adapter adds 0.8" (2 cm)



With OmniMount's CI25OFM, your customers will get everything they want in one mount – the functionality and versatility of a full motion mount in a compact and discreet design



Safety screw secures TV to mount

# OMNIPRO SERIES

## TILT

Low profile offers sufficient room for cable connections and cooling while keeping TV close to the wall

Tilt TV to reduce glare or for overhead installations

Lift n' Lock feature makes single-person installation possible

Open frame provides ample room for power and AV cutouts behind TV

Vertical rails fit VESA and non-VESA TVs

Vertical rails slide on wall plate for minor left/right repositioning

Locking bar secures TV to mount

Includes complete hardware kit

5-year warranty

Available in Black



### CI175T LARGE TILTING MOUNT

Fits most: 37-80" (94-203 cm) TVs  
Supports up to: 175 lbs (79.4 kg)  
Mounting profile: 2.7" (6.9 cm)  
Universal & VESA compliant: 100x100 to 600x400  
Tilt: Up to +15°  
Mounting: 16" or 24" double-stud; solid wall

## FIXED



### CI175F LARGE FIXED MOUNT

Fits most: 37-90" (94-229 cm) TVs  
Supports up to: 175 lbs (79.4 kg)  
Mounting profile: 1.7" (4.4 cm)  
Universal & VESA compliant: 100x100 to 600x400  
Mounting: 16" or 24" double-stud; solid wall

Low profile offers sufficient room for cable connections and cooling while keeping TV close to the wall  
Lift n' Lock feature makes single-person installation possible

Open frame provides ample room for power and AV cutouts behind TV

Vertical rails fit VESA and non-VESA TVs


Vertical rails slide on wall plate for minor left/right repositioning

Locking bar secures TV to mount

Includes complete hardware kit

5-year warranty

Available in Black





# WorkFit

## WORKFIT COMPUTER MOUNTS

Stand up and innovate! This sleek, height-adjustable workstation is made so that you can stand more, sit less, and become healthier doing so. The advanced ergonomics and uncompromising style of the WorkFit are proportioned so that your body, space and passion all function in perfect harmony.



**WORKFIT-A**  
SIT-STAND WORKSTATION  
24-431-227

Fits most: 21.5-27" (54.6-68.5 cm) screens  
Supports up to: 12-27.5 lbs\* (5.5-12.5 kg)  
Tilt: 30° (Screen tilt of 30° built into iMac base)  
Keyboard tray tilt range: 20°  
Lift: 19" (48 cm)  
Pan: 180°  
Mounting: Desk Clamp or Grommet Mount  
Optimized for the latest iMac®

\*see website for details



**WORKFIT-A VESA MOUNT**  
SIT-STAND WORKSTATION  
24-433-026

Fits most: Screens up to 27" (68.5 cm)  
Supports up to: 9-24 lbs\* (4.1-10.9 kg)  
Tilt: 30°  
Keyboard tray tilt range: 20°  
Lift: 19" (48 cm)  
Pan: 180°  
VESA compliant: 75x75 to 100x100  
Mounting: Desk Clamp or Grommet Mount

\*see website for details



**WORKFIT-P**  
SIT-STAND WORKSTATION  
24-432-227

Supports up to: 10 lbs (4.5 kg)  
Lift: 20" (51 cm)  
Pan: 360°  
Mounting: Desk Clamp or Grommet Mount


Aluminum construction  
Fluid, one-touch motion with patented CF™ technology  
Designed to perfectly complement the look of your Mac®  
Keyboard tilts

Clamps to back edge of desks up to 31.5" (800 mm) deep  
Grommet mounts through holes in desks up to 29.5" (749 mm) deep  
5-year warranty

Generous worksurface, perfect for laptops  
Aluminum construction  
Fluid, one-touch motion with patented CF technology  
Designed to perfectly complement the look of your Mac  
Clamps to back edge of desks or grommet mounts through holes 0.78-2.56" (20-65 mm) thick  
5-year warranty



# iPad® Mounts



## iPAD MOUNTS

With home automation and general iPad use being all the rage, naturally there came a need for iPad mounts and stands. Our collection of cases, wall mounts and surface stands work together to create the ideal balance of mobility and comfort, offering a great solution for iPad devices being used in multiple rooms for multiple purposes.



Articulating Wall Mount



Table Top Stand



Under-Cabinet Mount



**CASE & ADJUSTABLE STAND**  
FOR iPad mini™  
FOR iPad AIR™  
FOR iPad GEN 2-3-4

3 convenient attachment and usage options:  
*Use as a desktop stand*  
*Mount under your cabinet*  
*Attach to a wall*

Adjust the tilt and angle for perfect viewing  
Fold flat for transporting  
Ultra thin protective case  
Works with Apple® Smart Cover®  
Case and Stand duo offers versatility and protection for your device  
Case cutouts allow access to camera and controls  
Slim design and tactile surface



**CASE & MOUNT**  
FOR iPad mini  
FOR iPad AIR  
FOR iPad GEN 2-3-4

Simple, magnetic connection  
Ultra-thin protective case  
Works with Apple Smart Cover  
Case and Mount duo offers versatility and protection for your device  
Mount or move your iPad in seconds  
Case cutouts allow access to camera and controls  
Slim design and tactile surface  
Mount on wall or any VESA 100 mount



**MOUNT**  
FOR iPad

Increase the versatility of your iPad with additional wall mounts  
Store or display an iPad in the kitchen, bedroom, office, bathroom, hallway and more  
Easily move an iPad from one place to the next  
Mount on wall or to any VESA 100 mount, like a full motion wall mount, for even greater flexibility  
Works with OmniMount iPad protective case






# AV Wall Shelves

## AV WALL SHELVES

OmniMount wall shelves offer a fresh approach to managing cables and components. Designed as affordable, space-saving accessories to your TV or simply as stand-alone pieces, these solutions allow you to neatly organize components under a TV without running connections through the wall.

### DID YOU KNOW?

The Blade Series has integrated cable management that hides wires and routes them to components.



Blade1 without cover



Blade1 with cover

Low 1.2" (30 mm) profile complements ultra-thin TVs

Simple installation with one-piece frame and flip-down shelf

Modular design makes pieces stackable

Ideal for placing components like DVD players, cable boxes, video game consoles and more, near the TV

Integrated cable management hides wires

Can be mounted under a flat panel or as a stand-alone unit

5-year warranty

Satin Black finish is paintable to match any wall color

BLADE SERIES WALL FURNITURE PIECES COMBINE FUNCTION WITH COOL. WITH LOW MOUNTING PROFILES THAT MAKE THEM THE PERFECT COMPLEMENT TO ULTRA-THIN TVs AND SHELVES THAT FLIP DOWN FOR EASE OF INSTALLATION, THESE PIECES ARE GREAT ADDITIONS TO YOUR HOME THEATER.

## BLADE SERIES



### BLADE2

#### LOW-PROFILE AV WALL SHELVES

Two cascading tempered glass shelves support up to 35 lbs (15.9 kg) (double-stud) or 25 lbs (11.4 kg) (single-stud) each

Mounting profile: 1.2" (3 cm)

Mounting: Single- or double-stud

Color: Satin Black with black glass

Dimensions: 22.3" w x 24" h x 16.2" d (565 mm x 610 mm x 411 mm)

Glass thickness: 6 mm



### BLADE1

#### LOW-PROFILE AV WALL SHELF

Tempered glass shelf supports up to 35 lbs (15.9 kg) (double-stud) or 25 lbs (11.4 kg) (single-stud)

Mounting profile: 1.2" (3 cm)

Mounting: Single- or double-stud

Color: Satin Black with black glass

Dimensions: 22.5" w x 11.9" h x 16.1" d (572 mm x 302 mm x 409 mm)

Glass thickness: 6 mm

# AV WALL SHELVES



## MOD1 LOW-PROFILE AV WALL SHELF

Supports up to: 30 lbs (13.6 kg) maximum shelf capacity  
 Mounting profile: 0.94" (2.4 cm)  
 Mounting: Single-stud  
 Dimensions: 17.5"w x 13.7"h x 13.4"d (445 mm x 351 mm x 337 mm)  
 Glass thickness: 6 mm



## ECS LOW-PROFILE AV WALL SHELF

Supports up to: 30 lbs (13.6 kg) maximum shelf capacity  
 Pan: 15° left and right  
 Mounting: Single-stud  
 Dimensions: 18.0"w x 9.1"h x 20.1"d (457 mm x 231 mm x 571 mm)  
 Tempered glass thickness: 8 mm



**COMING SOON!**

## OWS22 WALL SHELF

Supports up to: 22 lbs (10 kg) maximum shelf capacity  
 Shelf dimensions: 16.5"w x 9.0"h x 11.4"d (420 mm x 230 mm x 290 mm)  
 Tempered glass thickness: 5 mm



Ideal for placing components like DVD players, cable boxes, video game consoles and more, near the TV  
 Stackable with additional MOD1s to create a multiple shelf solution  
 Engineered from extruded aluminum with an anodized finish to complement newer TVs  
 Integrated cable management hides wires  
 Refined construction and components for smaller packaging  
 5-year warranty  
 Available in Black with black glass

Pivoting arm for side-to-side movement  
 Wall plate hides bolts  
 Includes complete hardware kit  
 5-year warranty  
 Available in Black with clear glass



THE ELEGANTÉ COMPONENT WALL SHELF IS AN EASY-TO-INSTALL SHELVING SOLUTION THAT CAN BE USED WITH OR WITHOUT A TV. THE PIVOTING ARM MAKES IT IDEAL FOR CORNER MOUNTING AND ALLOWS YOU TO POSITION THE SHELF AS NEEDED.

THE MOD1 IS A LOW-PROFILE AV WALL SHELF THAT CAN BE USED ALONE OR STACKED WITH ADDITIONAL PIECES TO ORGANIZE COMPONENTS RIGHT UNDER YOUR TV.



# AV WALL SHELVES

## TRIA SERIES



## TRIA 2 ADJUSTABLE AV WALL SHELF

Three tempered glass shelves support up to 30 lbs (13.6 kg) each  
 Mounting: Single-stud  
 Dimensions: 17.5"w x 50"h x 16.5"d (445 mm x 1270 mm x 419 mm)  
 Glass thickness: 6 mm  
 Compatible with Tria 1 and Tria 2



## TRIA 1 ADJUSTABLE AV WALL SHELF

Two tempered glass shelves support up to 30 lbs (13.6 kg) each  
 Mounting: Single-stud  
 Dimensions: 17.5"w x 32.5"h x 16.5"d (445 mm x 826 mm x 419 mm)  
 Glass thickness: 6 mm  
 Compatible with Tria 1



## TRIA 1 ADJUSTABLE AV WALL SHELF

Tempered glass shelf supports up to 30 lbs (13.6 kg)  
 Mounting: Single-stud  
 Dimensions: 17.5"w x 16.5"h x 16.5"d (445 mm x 419 mm x 419 mm)  
 Glass thickness: 6 mm  
 Compatible with Tria 2

Fully adjustable shelves at 1" increments  
 Integrated cable management hides wires  
 Paintable and trimmable covers  
 Easy to install  
 Can be used with or without TV  
 5-year warranty  
 Available in Black with black glass



THE TRIA SERIES WALL SHELVES OFFER HASSLE-FREE SHELVING AND CABLE MANAGEMENT SOLUTIONS SUITABLE FOR ANY ENVIRONMENT AND CAN BE USED WITH OR WITHOUT A TV. USER-FRIENDLY FEATURES LIKE ADJUSTABLE SHELVES AND PAINTABLE, TRIMMABLE COVERS MAKE THEM GREAT FOR ANY APPLICATION.

## WHY TRIA WALL FURNITURE?

Wall furniture makes it possible to hide wires from the component to the outlet without having to run them through the wall.



WITHOUT TRIA

WITH TRIA

# Ceiling Mounts



## & Projector Mounts

### CEILING MOUNTS



#### DCM250

##### DOUBLE TILT TV MOUNT

Fits most: 32-65" (81-165 cm) TVs  
Supports up to: 250 lbs (113.4 kg)  
Tilt: Up to 25° in 5° increments  
Pipe drop: 24"  
VESA compliant: 200x100 to 600x400  
Mounting: Ceiling  
Supports two panels for back-to-back mounting

- Portrait or landscape orientation
- Includes universal adapter(s), ceiling plate and Grade 5 hardware kit
- Tension adjustment for variable tilt or locking pin for precise positioning
- Route cables through pipe and ceiling plate for a clean installation
- Lift n' Lock for a fast, one-person install
- Standard thread works with any 1.5" NPT pipe
- Threaded bottom pipe for additional accessories
- Anti-theft security hardware
- 5-year warranty
- Available in Black



# CEILING MOUNTS

- Portrait or landscape orientation
- Includes universal adapter(s), ceiling plate and Grade 5 hardware kit
- Tension adjustment for variable tilt or locking pin for precise positioning
- Route cables through pipe and ceiling plate for a clean installation
- Lift n' Lock for a fast, one-person install
- Standard thread works with any 1.5" NPT pipe
- Threaded bottom pipe for additional accessories
- Anti-theft security hardware
- 5-year warranty
- Available in Black



## SCM125 SINGLE TILT TV MOUNT

Fits most: 32-65" (81-165 cm) TVs  
 Supports up to: 125 lbs (56.7 kg)  
 Tilt: Up to 25° in 5° increments  
 Pipe drop: 24"  
 VESA compliant: 200x100 to 600x400  
 Mounting: Ceiling



The SCM125 is equipped with a pin tilt mechanism which tilts the TV at precise increments making it well-suited for single or multiple TV installations

# PROJECTOR MOUNTS

- Complete out-of-box solution includes ceiling plate, projector mount and all necessary hardware
- Lift n' Lock for a fast, one-person install
- NPT extension pipes available in 12", 18" and 24" lengths
- 5-year warranty
- Available in Black



## PJT40 UNIVERSAL PROJECTOR MOUNT

Fits: Small to large projectors  
 Supports up to: 40 lbs (18.1 kg)  
 Pitch: +/-16.5°  
 Roll: +/-16.5°  
 Yaw: +/-180°  
 Mounting: Single-stud or solid ceiling  
 Material: Steel  
 All exposed hardware has unique penta shape for security  
 Patent-pending MicroDial™ design means pitch and roll are interchangeable, and micro adjustments are done by hand  
 Patent-pending QuickLock™ feature for sliding connectors to the correct mounting position; no tools required  
 Projector mount connectors can be tucked up for a lower profile or extended to access projector controls



PJT40's omni-directional turnbuckle design makes positioning the projector easy; pitch and roll are interchangeable and micro adjustments are done by hand



## 3N1-PJT/PRO-PJT UNIVERSAL PROJECTOR MOUNT

Fits: Small to large projectors  
 Supports up to: 40 lbs (18.1 kg)  
 Pitch: +/- 15°  
 Roll: +/- 15°  
 Yaw: +/- 180°  
 Universal mounting pattern fits projectors with any hole pattern  
 Legs adjustable from 5" to 19.8" diagonally for small to large projectors



## ACCESSORIES

### 1.5" NPT EXTENSION PIPES

- NPT12-12" Extension Pipe
- NPT18-18" Extension Pipe
- NPT24-24" Extension Pipe
- Available in Black



### PFC-A

#### FEMALE PIPE ADAPTER

- For use with standard 1.5" NPT pipe
- Integrated cable management hides wires
- Available in Black and Platinum



# Rack Systems & Carts



## ENCLOSED RACK SYSTEMS

OmniMount offers several professional grade rack systems for managing components and giving an organized, polished look to any AV installation.

Standard 19" rack enclosure works with all standard 19" rack accessories  
Heavy-gauge steel construction  
Fully enclosed cooling system with top and bottom ventilation  
Includes pre-installed cooling fans on top  
Lockable tempered-glass left- or right-hinged front door  
Removable side panels for easy servicing  
Adjustable feet level and stabilize rack without interfering with casters  
Top and bottom cable routing knockouts  
Front and back can be swapped and are on hinges  
Side panels are lockable (locks not included)  
Accepts front or rear rack mounted components  
Caster base provides easy placement inside closets or against walls  
Ships assembled  
Includes complete hardware kit  
5-year warranty  
Available in Black



### RE18 ENCLOSED HALF-RACK SYSTEM

Includes:  
(1) 18 space rack  
(3) 2U space shelves: 16" deep  
(3) 2U space solid blanks  
Weight capacity:  
RE18 supports up to 500 lbs (226.8 kg)  
2U shelf supports up to 50 lbs (22.7 kg)



ALL OMNIMOUNT RACKS  
SHIP FULLY ASSEMBLED

# ENCLOSED RACK SYSTEMS

Standard 19" rack enclosure works with all standard 19" rack accessories  
 Heavy-gauge steel construction  
 Fully enclosed cooling system with top and bottom ventilation  
 Includes pre-installed cooling fans on top  
 Lockable tempered-glass left- or right-hinged front door  
 Removable side panels for easy servicing  
 Adjustable feet level and stabilize rack without interfering with casters  
 Top and bottom cable routing knockouts  
 Front and back can be swapped and are on hinges  
 Side panels are lockable (locks not included)  
 Accepts front or rear rack mounted components  
 Caster base provides easy placement inside closets or against walls  
 Ships assembled  
 Includes complete hardware kit  
 5-year warranty  
 Available in Black



**RE27**  
ENCLOSED HALF-RACK SYSTEM

Includes:  
 (1) 27 space rack  
 (5) 2U space shelves: (1) 18" deep; (4) 16" deep  
 (5) 2U space solid blanks  
 Weight capacity:  
 RE27 supports up to 750 lbs (340.2 kg)  
 2U shelf supports up to 50 lbs (22.7 kg)



**RE42**  
ENCLOSED HALF-RACK SYSTEM

Includes:  
 (1) 42-space rack  
 (2) 5U-space shelves with cable ties: 20" deep  
 (7) 2U-space shelves: 16" deep  
 (9) 2U-space solid blanks  
 Weight capacity:  
 RE42 supports up to 1100 lbs (500 kg)  
 5U shelf supports up to 100 lbs (45.4 kg)  
 2U shelf supports up to 50 lbs (22.7 kg)

## ACCESSORIES

### RE2USHELF



Add-on for the RE18, RE27 and RE42 for managing additional components  
 Accommodates heavier and extra-deep components  
 Vented for component cooling  
 Durable powder coat finish  
 Shelf clamp secures component  
 Easy to install  
 Includes complete hardware kit  
 Supports up to: 50 lbs (23 kg)  
 Available in Black

### RE5USHELF



Add-on for the RE18, RE27 and RE42 for managing additional components  
 Accommodates heavier and extra-deep components  
 Vented for component cooling  
 Durable powder coat finish  
 Shelf clamp secures component  
 Easy to install  
 Includes complete hardware kit  
 Supports up to: 100 lbs (45 kg)  
 Available in Black

### RE2UBLANK



Add-on for the RE18, RE27 and RE42 for a clean appearance  
 Durable powder coat finish  
 Easy to install  
 Includes complete hardware kit  
 Available in Black

Fully enclosed cooling system with top and bottom ventilation



Lockable tempered glass left- or right-hinged front door



Top and bottom cable routing knockouts



Locking caster base provides easy placement inside closets or against walls - adjustable feet level and stabilize



## THE PROHDCART OFFERS:



### SUPERIOR PRODUCT DESIGN

- Included adapters to fit a wide range of TVs or LCD displays
- Integrated cable management channels for organizing cables (shown)
- Additional accessories available (for custom tailored units)



### CONVENIENT FUNCTIONALITY

- Height adjustment to fit most viewing needs (shown)
- Displays can be mounted in portrait or landscape orientation
- Caster base with four locking, non-scuffing wheels for safe and easy movement



### HASSLE-FREE INSTALLATION

- Speedy assembly and installation
- Includes complete hardware kit

## CARTS

The OmniMount PROHDCART provides vertical adjustment and cable management to meet all your mobile media needs.



**PROHDCART**  
HEAVY-DUTY TV CART

Fits most 37-65" TVs  
 Supports up to: 125 lbs (56.7 kg)  
 (sum of shelves, components and TV)  
 Shelf capacity: 40 lbs (18.1 kg)  
 Tilt: +15° to -5°  
 Universal and VESA compliant: 200x100 to 900x500

Telescoping post with locking pin allows for height adjustment from 52" to 72" in 1" increments

Includes universal adapter for greater panel compatibility  
 Lift n' Lock for quick installation

Displays can be mounted in portrait or landscape orientation

Adjustable and lockable shelf comes with component strap and can be repositioned in 1" increments

Shelf can be positioned in front or back to hide components when needed

Integrated in-post cable management  
 AC cord wrap for hassle-free transport

Nesting base for easy storing of multiple carts

Caster base with four locking, non-scuffing 4" wheels provides safe and easy movement over any surface

Rubberized bumpers won't scuff walls or doors

Quick assembly

Additional shelves available as an accessory

Includes complete hardware kit

5-year warranty

Available in Black



# Speaker Stands & Mounts



## SPEAKER STANDS & MOUNTS

Being not only the originator, but also the leader of the category, there is no doubt that OmniMount offers the most reliable and durable speaker mounts on the market today.

### GEMINI SERIES

Height adjustable post allows for ideal listening position  
Includes interchangeable bases for four color options  
In-post cable management hides up to 14-gauge speaker wire  
Steel isolation spikes minimize vibration and stabilize base  
5-year warranty  
Available in Black




#### GEMINI 1 MEDIUM SATELLITE SPEAKER STAND

Fits most: Medium satellite speakers  
Supports speakers up to: 8 lbs (3.6 kg)  
Includes: Two speaker stands  
Dimensions: 8.5" w x 31-45" h x 10.5" d  
(216 mm x 787-1143 mm x 267 mm)  
Includes four universal adapters for maximum speaker compatibility  
31" to 45" height adjustable post allows for ideal listening position



#### GEMINI 2 LARGE SATELLITE SPEAKER STAND

Fits most: Large bookshelf speakers  
Supports speakers up to: 20 lbs (9.1 kg)  
Includes: Two speaker stands  
Dimensions: 11.5" w x 24" h x 13" d  
(292 mm x 610 mm x 330 mm)  
31" (787 mm) height with included extension  
24" or 31" height for ideal listening position  
(7" extension included)



# SPEAKER STANDS & MOUNTS


## ELO SERIES



### ELO SMALL SATELLITE SPEAKER STAND

Fits most: Small satellite speakers  
Supports speakers up to: 4 lbs (1.8 kg)  
Includes: Two speaker stands  
Dimensions: 11" w x 26-36" h x 10" d  
(279 mm x 660-914 mm x 254 mm)

Includes three universal adapters for maximum speaker compatibility  
26" to 36" height adjustable post allows for ideal listening position  
6 mm tempered glass base with steel post  
In-post cable management hides up to 14-gauge speaker wire  
Rubberized isolation feet minimize vibration and protect floors  
5-year warranty  
Available in High Gloss Black with black glass



OCSBA ROTATES  
FOR MULTIPLE INSTALLATION  
CONFIGURATIONS

## AUDIOBASICS™ SERIES



### AB1 MICRO SATELLITE SPEAKER MOUNT

Fits most: Small satellite speakers  
Supports up to: 2.5 lbs (1.1 kg)  
Base rotation: 360°  
Pan: 180°  
Tilt: +/- 30°



### AB2 MEDIUM SATELLITE SPEAKER MOUNT

Fits most: Bookshelf speakers  
Supports up to: 8 lbs (3.6 kg)  
Base rotation: 360°  
Pan: 180°  
Tilt: +/- 30°

Injection molded, glass reinforced nylon  
Suitable for all-weather use  
Maximum flexibility  
Mount on wall or ceiling

Includes two extensions that create three different lengths  
Includes complete hardware kit  
5-year warranty  
Available in Black



## OCSBA



### OCSBA UNIVERSAL SOUND BAR MOUNT

Supports up to: 30 lbs (13.6 kg)  
Fits most: 32" or larger TVs

Easily attach most sound bars under wall mounted TV  
Works with most brands or styles of TV mount  
Improves audio quality, especially when used with full motion TV mounts  
Attaches to the back of a TV and requires no holes in the wall  
Great for medium and large TVs  
Includes all mounting hardware  
5-year warranty  
Available in Black

# SPEAKER MOUNTS

## STAINLESS STEEL SERIES

Mount on wall or ceiling  
Polymer-injected ball controls resonance frequencies for better sound  
Stainless steel hardware for strength and durability  
Suitable for all-weather use  
Ball and clamp design for greater mounting flexibility  
Includes clamp and jaw  
Includes complete hardware kit  
5-year warranty  
Available in Black



### 5.0 W/C SATELLITE SPEAKER MOUNT

Fits most: Satellite speakers  
Supports up to: 5 lbs (2.3 kg)  
Thread size: 4 mm or 5 mm  
Tilt: +/- 30°  
Pan: 180°  
Base rotation: 360°



### 10.0 W/C BOOKSHELF SPEAKER MOUNT

Fits most: Bookshelf speakers  
Supports up to: 10 lbs (4.5 kg)  
Thread size: 1/4"-20  
Tilt: +/- 30°  
Pan: 180°  
Base rotation: 360°

## STAINLESS STEEL SPEAKER MOUNTS OFFER:



### SUPERIOR PRODUCT DESIGN

- Polymer-injected ball controls resonance frequencies for better sound (shown)
- Stainless steel hardware for strength and durability
- Suitable for all-weather use



### HASSLE-FREE INSTALLATION

- Ball and clamp design for greater mounting flexibility (shown)
- Includes complete hardware kit



# OmniMount Essentials



## CABLE MANAGEMENT


Modular design allows for any configuration  
 Covers can be cut to desired length  
 Paint to match any wall  
 Mount using screws or double sided adhesive (both included)  
 Route wires vertically or horizontally with 90° elbow  
 Includes installation template



### CMK

#### 4.3" CABLE MANAGEMENT KIT

Modular design allows for any configuration  
 Covers can be cut to desired length  
 Paint to match any wall  
 Routes wires vertically or horizontally with 90° elbow  
 Includes (3) 16" x 4.3" covers, (1) 90° elbow, (2) end caps and installation template



### CMK MINI

#### 2.3" CABLE MANAGEMENT KIT

Modular design allows for any configuration  
 Covers can be cut to desired length  
 Paint to match any wall  
 Routes wires vertically or horizontally with 90° elbow  
 Includes (3) 16" x 2.3" covers, (1) 90° elbow, (2) end caps and installation template

## SAFETY KIT

Works with any flat panel TV  
 Prevents tipping to protect children and pets  
 Ideal for flat panel TVs on furniture within arm's reach or in high-traffic areas  
 Works with wood studs or concrete wall  
 Steel cables are easily adjustable using tensioning clamp  
 Simple to install  
 Includes two adjustable length steel cables and complete hardware kit  
 5-year warranty  
 Available in Black



### OESK

#### SAFETY KIT

Includes: 2 cables & hardware kit



Multipurpose gel screen cleaner for any viewing surface  
 Safely removes dirt, dust and fingerprints  
 Alcohol- and ammonia-free non-drip formula  
 Anti-static cleaner repels dust  
 Breathable case allows cloth to dry  
 Non-abrasive microfiber won't scratch surfaces

## SCREEN CLEANER



### OESC2

#### 2 OZ SCREEN CLEANER

Includes cleaning mitt  
 Stores in its own single DVD case

More line drawings available on [OmniMount.com](http://OmniMount.com)


# Line Drawings

## Line Drawings

inches (mm)

### TV WALL MOUNTS


#### OMNIELITE SERIES



OE8OFM – page 9

OE15OFM – page 9

OE8OT – page 10




OE15OT – page 10

OE8OF – page 10

OE20OF – page 10


#### ACTIONMOUNT SERIES




PLAY20 (TOP VIEW) – page 11

PLAY20 (SIDE VIEW) – page 11

PLAY20X (SIDE VIEW) – page 11



PLAY25 (SIDE VIEW) – page 11




PLAY25 (SIDE VIEW) – page 11

# Line Drawings


inches (mm)

## TV WALL MOUNTS


### ACTIONMOUNT SERIES




PLAY40 (SIDE VIEW) – page 12




PLAY40 (TOP VIEW) – page 12




PLAY40DS (SIDE VIEW) – page 12




PLAY40DS (TOP VIEW) – page 12




PLAY70 (SIDE VIEW) – page 12




PLAY70 (TOP VIEW) – page 12




PLAY70DS (SIDE VIEW) – page 12




PLAY70DS (FRONT VIEW) – page 12




LIFT30 – page 13



LIFT30X (FRONT VIEW) – page 13



LIFT30X (SIDE VIEW) – page 13




LIFT50 (FRONT VIEW) – page 13


inches (mm)

## TV WALL MOUNTS


### ACTIONMOUNT SERIES



LIFT50 (SIDE VIEW) – page 13




LIFT70 (FRONT VIEW) – page 13




LIFT70 (SIDE VIEW) – page 13


### OMNISELECT SERIES




OS5OFM (FRONT VIEW) – page 14




OS5OFM (SIDE VIEW) – page 14




OS8OFM (FRONT VIEW) – page 14




OS8OFM (SIDE VIEW) – page 14




OS12OFM (FRONT VIEW) – page 14




OS12OFM (SIDE VIEW) – page 14



OS40TP (FRONT VIEW) – page 15



OS40TP (SIDE VIEW) – page 15




OS50T – page 15

# Line Drawings

inches (mm)

## TV WALL MOUNTS


### OMNISELECT SERIES



OS8OT (SIDE VIEW) – page 15

OS12OT (FRONT VIEW) – page 15

OS12OT (SIDE VIEW) – page 15



OS5OF – page 16


OS8OF – page 16

OS12OF (FRONT VIEW) – page 16



OS12OF (SIDE VIEW) – page 16

### OMNICLASSIC SERIES



OC4OF (FRONT VIEW) – page 17


OC4OF (SIDE VIEW) – page 17

OC4OFM – page 17

inches (mm)

## TV WALL MOUNTS


### OMNICLASSIC SERIES



OC4OFM (SIDE VIEW) – page 17

OC8OF – page 18


OC8OF (SIDE VIEW) – page 18



OC12OFM (FRONT VIEW) – page 17

OC12OFM (SIDE VIEW) – page 17


OC8OT (FRONT VIEW) – page 18



OC10OT (FRONT VIEW) – page 18

OC15OT (FRONT VIEW) – page 19

OS175T (FRONT VIEW) – page 19



OC4OF – page 20

OC8OF (FRONT VIEW) – page 20


OC10OF – page 20

# Line Drawings

inches (mm)

## TV WALL MOUNTS


### OMNICLASSIC SERIES



OC150F – page 20

OC175F (FRONT VIEW) – page 20


### EZMOUNT SERIES



OMF – page 21

OMH – page 21

### CUSTOM INSTALLER SERIES



CI250FM (FRONT VIEW) – page 22


CI175T (FRONT VIEW) – page 23

CI175F (FRONT VIEW) – page 23

inches (mm)

## WORKFIT & iPad MOUNTS

### WORKFIT




WORKFIT-A – page 25

WORKFIT-A – page 25

WORKFIT-A VESA MOUNT – page 25


### iPAD MOUNTS




iPAD mini CASE – page 27

iPAD AIR CASE – page 27


iPAD GEN 2-3-4 CASE – page 27



iPAD STAND – page 27



iPAD STAND – page 27




iPAD WALL MOUNT – page 27

# Line Drawings

inches (mm)

## AV WALL SHELVES

### BLADE SERIES




BLADE2 (FRONT VIEW) – page 29

BLADE2 (SIDE VIEW) – page 29

BLADE1 – page 29


### MOD1 SERIES



MOD1 (FRONT VIEW) – page 30


MOD1 (SIDE VIEW) – page 30

### ECS



ECS – page 30

### TRIA SERIES



TRIA – page 31


TRIA 2 – page 31

TRIA 1 – page 31

inches (mm)

## TV CEILING MOUNTS & PROJECTOR MOUNTS

### CEILING MOUNTS




DCM250 – page 33

SCM125 – page 34

SCM125 – page 34

### PROJECTOR MOUNTS




PJT40 – page 35

PJT40 – page 35

3N1-PJT – page 35

### ACCESSORIES




NPT12 / NPT18 / NPT24 – page 35

PFC-A – page 35


# Line Drawings

inches (mm)


## ENCLOSED RACKS & CARTS




RE18 (TOP VIEW) – page 37




RE18 (SIDE VIEW) – page 37




RE27 (SIDE VIEW) – page 38



RE42 (SIDE VIEW) – page 38




PROHDCART – page 39




PROHDCART – page 39


## ACCESSORIES



RE2USHELF – page 38



RE5USHELF – page 38




RE2UBLANK – page 38


inches (mm)

## SPEAKER STANDS & MOUNTS

### GEMINI SERIES




GEMINI 2 – page 41




GEMINI 1 – page 41

### ELO SERIES



ELO – page 42


### AUDIOBASICS SERIES



AB1 – page 42

AB1 – page 42

### OCSBA



OPTION A (BACK) – page 42

OPTION B (BACK) – page 42


OPTION C (BACK) – page 42

# Line Drawings

inches (mm)

## SPEAKER MOUNTS

### STAINLESS STEEL SERIES



5.0 W/C – page 43

10.0 W/C – page 43

### VESA MOUNT INTERFACES

#### OMNIMOUNT TV MOUNTS ARE COMPLIANT WITH THE VESA® INTERFACE STANDARD

OmniMount products are engineered in accordance with the Flat Display Mounting Interface (FDMI) Standard, otherwise known as the Mounting Interface Standard (MIS), defined by VESA. When choosing a TV, look for VESA Mounting Compliance for ease of attachment to any OmniMount wall mount, articulating monitor arm or other VESA-compliant mounting solution.

The VESA standard defines dimensions of a TV's four-hole attachment interface and the screws used to fit those holes. It also dictates the placement of the hole pattern on the back of the TV. For attachment to VESA mounts, this invariably means the hole pattern should be centered on a TV's back (denoted in a VESA label with the letter "C" as in VESA FDMI MIS-D, 100, C).





Ergotron - Omnimount • 4409 East Baseline Road, Ste 130 • Phoenix, AZ 85042  
1-800-MOUNT-IT (800-668-6848) • [www.omnimount.com](http://www.omnimount.com)

